

Professional LED Luminaires



PRICE LIST w.e.f. 1st May 2015

Havells State of the art Luminaire Plant, Neemrana



Neemrana Lighting Plant



Japanese Flexible CNC controlled steel fabrication process



Italian Robotised Box Bending Machines



Powder Coating Paint Shop



ISO-9001
Certified



ISO-14001
Certified



OHSAS-18001
Certified



ISO-50001
Certified



LUMINAIRES

“FOCUSSED ON FUTURE TECHNOLOGIES”

Welcome to the world of Havells. A \$1.4 billion FMEG (Fast Moving Electrical Goods) conglomerate and manufacturer of Power Distribution Equipment that has spread its wings across 90 countries offering some of the best products to discerning consumers worldwide. Havells India today owns some of the most prestigious global brands like Havells, Sylvania, Lumiance and Concord.

Built on a century of expertise in lamps and luminaires, Havells and Sylvania supplies state-of-the-art lighting products for Commercial, Industrial, Street, Landscape, Consumer & Architectural lighting worldwide. From fluorescent to CFL, from halogen to HID and new generation LED lighting, Havells and Sylvania strives to deliver the finest consulting, products and service to all its consumers.

Havells has some of the renowned state of the art manufacturing facilities spread across India, Europe, Africa and Latin America. Through these 20 plants the company manufactures wide range of products including switches & switchgear, cables & wires, small domestic appliances, water heaters, fans, lamps & luminaires and industrial products. Backed by this global network of competence, Havells is poised to grow its market share significantly in years to come.

Havells has setup the most modern, state-of-the-art lighting fixtures plant at Neemrana, Rajasthan which is based on the technology from Sylvania and is comparable to one of the best plants of Sylvania in France. Equipped with the latest and best-in-class machines from Japan, Germany and Italy, the plant also possesses robotized box bending machines, the first in North India and 3rd in the country. Spread over 30 acres of land and with over 2, 00,000 square feet of working space under single roof, the plant is uniquely placed to offer customized lighting solutions to customers with great speed.

Energy efficient solutions are the way forward and at Havells we realised this few years back. Our R&D wing alongwith our plants are continuously working on exciting new products incorporating cutting-edge technology including LED. The Concord range offers double award winning Stadium LED spotlight, independently judged to be the best LED spotlight on the market today. The introduction of new LED LED 150, an addition to the long standing LED 150 range redefines the genre of low energy downlights with respect to efficiency and output.

The brand Lumiance provides excellent Insaver & Syllighter range with LED versions in both round and square form. These products are designed to provide great performance, crisp design and value for money. The ease of installation makes them suitable for fast track projects and ideal for design & build applications.

At Havells “we are focussed on future technologies to provide the most energy efficient lighting solutions”.

GENERAL CONDITIONS OF BUSINESS

1. Prices are in Indian ₹.
2. All prices are subject to Havells general terms & conditions of business.
3. Prices of all luminaires in this price list are without lamp/tube, except wherever specified otherwise.
4. Prices are inclusive of excise duty as per prevailing rate at the time of supply. Any statutory variation will be to purchaser's account.
5. MRP prices are inclusive of Value Added Tax (VAT) /Sales Tax. They are the maximum recommended prices. However dealers/retailers are free to sell below the maximum recommended prices.
6. Goods are despatched by us on Purchaser's risk. All claims for loss, damage or shortage will be filed by the Purchasers directly with the carriers.
7. As far as possible orders should be placed in case lot multiples.
8. All orders shall be placed in writing.
9. Disputes, if any are subject to Delhi jurisdiction only.
10. This Price List supersedes all our previous Price Lists.
11. Prices are subject to change without notice.
12. Continuous design improvement is a routine practice at Havells. Data provided may change without any prior intimation. Customers are advised to reconfirm the data or product dimensions before purchase with our local offices.
13. Company reserves the right to issue amendments, which may arise due to any errors in the price list.

Content

Commercial Lighting	2	-	5
Industrial Lightitng	6	-	6
Area Lighting	7	-	8
Landscape Lighting	8	-	8
Road Lighting	9	-	9
Tube Light & Batten	10	-	10

NOVASTAR NEO

Energy efficient 7W LED spotlight for low ceiling height applications. An alternative for MR16 halogen lamp.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
1x7W LED 3000K	LHEEAYPBMH1E007	40° spread	1250/-	30
1x7W LED 4000K	LHEEAYPDMH1E007	40° spread	1250/-	30
1x7W LED 6000K	LHEEAYPFMH1E007	40° spread	1250/-	30

Suitable for Havells recommended MR16 luminaire.

**ENDURA DL 7N/10N**

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
7W LED 3000K	LHEBJNP5PZ1W007	Diffused	1450/-	12
7W LED 4000K	LHEBJNP6PZ1W007	Diffused	1450/-	12
7W LED 6000K	LHEBJNP7PZ1W007	Diffused	1450/-	12
10W LED 4000K	LHEBJNP6PZ1W010	Diffused	1500/-	12
10W LED 6000K	LHEBJNP7PZ1W010	Diffused	1500/-	12

Ceiling cutout Ø 100 mm, height 52 mm.

**ENDURA DL 12/15 NEO**

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
12W LED 3000K	LHEJNP5CPZ1W012	Diffused	1830/-	12
12W LED 4000K	LHEJNP6CPZ1W012	Diffused	1830/-	12
12W LED 6000K	LHEJNP7CPZ1W012	Diffused	1830/-	12
15W LED 3000K	LHEBJNP5IN1W015	Diffused	1880/-	12
15W LED 4000K	LHEBJNP6IN1W015	Diffused	1880/-	12
15W LED 6000K	LHEBJNP7IN1W015	Diffused	1880/-	12

Ceiling cutout Ø 160 mm, height 52 mm.

**ENDURA DL 18W**

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
18W LED 6000K	LHEBJNP7PZ1W018	Diffused	2200/-	08

Ceiling cutout Ø 160 mm, height 55 mm.

**Endura DL 21/25**

Recess mounted LED downlighter elegantly designed pressure die-cast Al. heat sink for efficient heat dissipation.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
21W LED 4000K	LHEBJNP6PZ1W021	Diffused	3400/-	04
21W LED 6000K	LHEBJNP7PZ1W021	Diffused	3400/-	08
25W LED 4000K	LHEBJNP6PZ1W025	Diffused	3700/-	04
25W LED 6000K	LHEBJNP7PZ1W025	Diffused	3700/-	08

Ceiling cutout Ø 176 mm, height 77 mm.

**ENDURA NEO**

Recess mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
18W LED 6000K	LHEBGOP7UZ1W018	Diffused	2930/-	04
25W LED 6000K	LHEBGOP7UZ1W025	Diffused	3680/-	04

Ceiling cutout Ø 200 mm, height 85 mm.



ENDURA DL 7 SQUARE

Recess mounted square downlighter with al. extrusion square ring & MS powder coated white housing and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
7W LED 4000K	LHEWEBP6PL1W007	Diffused	1575/-	12
7W LED 6000K	LHEWEBP7PL1W007	Diffused	1575/-	12

Ceiling cutout 122x122 mm, height 45mm.

**ENDURA DL 15 SQUARE**

Recess mounted square downlighter with al. extrusion square ring & MS powder coated white housing and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
15W LED 4000K	LHEWEBP6PL1W015	Diffused	2350/-	12
15W LED 6000K	LHEWEBP7PL1W015	Diffused	2350/-	12

Ceiling cutout 174x174 mm, height 45mm.

**ENDURA ULTRA SLIM (Edge-Lit) Downlite**

18W LED edge-lit luminaire suitable for armstrong/grid ceiling complete with separate electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
18W LED 6000K	LHEBJNP7IZ1W018	Diffused	2760/-	01

Fixture size 200x200 mm.

**ENDURA LED WALL WASHER**

Recess mounted LED wall washer in powder coated white finish and separate replaceable electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
15W LED 3000K	LHESAHPBUN1W015	30° spread	5230/-	08
15W LED 6000K	LHESAHPGUN1W015	30° spread	5230/-	08
25W LED 3000K	LHESAHPBIN1W025	40° spread	8510/-	08
25W LED 6000K	LHESAHPPIN1W025	40° spread	8510/-	08
35W LED 3000K	LHESAHPBIN1W035	40° spread	10030/-	04
35W LED 6000K	LHESAHPPIN1W035	40° spread	10030/-	04

Ceiling cutout Ø 112 mm, depth 64 mm, height 95 mm for 15W, Ceiling cutout Ø 144 mm, depth 97 mm, height 125 mm for 25W, Ceiling cutout Ø 176 mm, depth 125 mm, height 150 mm for 35W.

**ENDURA DL SURFACE**

Surface mounted LED downlighter in powder coated white finish with integrated electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
15W LED 4000K	LHEAAGP6IA2W012	General Spread	2400/-	10
15W LED 6000K	LHEAAGP7IA2W012	General Spread	2400/-	10
21W LED 6000K	LHEAAGP7IA1W018	General Spread	3200/-	10

**SOFTLINE BRILLIANT NEO**

34W/36W recess softline luminaire suitable for armstrong/grid ceiling with high brightness LEDs and PMMA extruded diffuser giving glare free light and good aesthetic appeal.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
36W LED 4000K	LHEWEBP6UL1W036	Diffused	5375/-	01
34W LED 6000K	LHEWEBP7IN1W036	Diffused	5375/-	01

Fixture size 595x595 mm.



SCOOP LED

Innovative direct/indirect luminaire suitable for armstrong/grid ceiling with high brightness LEDs and conical de-glaring prism center panel for efficient down light.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
48W LED 4000K	LHEWEEP6PL1W048	Diffused	7700/-	01
48W LED 6000K	LHEWEEP7PL1W048	Diffused	7700/-	01

Fixture size 595x595 mm.

**ENDURA FLAT PANEL 36W**

Flat panel for armstrong/grid ceiling complete with electronic driver & high brightness SMD LEDs.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
36W LED 6000K	LHEWEBP71L1W036	Opal	6090/-	02
36W LED 6000K	LHEWEBP71K1W036	Prismatic	6090/-	02
42W LED 4000K	LHEWEBP6PL1W042	Opal	6320/-	02
42W LED 6000K	LHEWEBP7PL1W042	Opal	6320/-	02
42W LED 6000K	LHCD02042674	Prismatic	6320/-	02

Fixture size 595x595 mm.

**PLUTO FLAT PANEL**

Ultra modern recess mounting luminaire suitable for armstrong/grid/POP ceiling complete with separate electronic driver & high brightness SMD LEDs.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
34W LED 4000K	LHEEBP6CUL1W034	Diffused	5800/-	02
34W LED 6000K	LHEEBP7CUL1W034	Diffused	5800/-	02
48W LED 6000K	LHEWEBP7UL1W048	Diffused	7250/-	02

Fixture size 595x595 mm. Ceiling cutout 580x580 mm.

**PLUTO SUPER FLAT PANEL (HIGH LUMEN)**

Ultra modern recess mounting luminaire suitable for armstrong/grid/POP ceiling complete with separate electronic driver & high brightness SMD LEDs.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
34W LED 4000K	LHEEBP6CUN1W034	Diffused	6300/-	02
34W LED 6000K	LHEEBP7CUN1W034	Diffused	6300/-	02

Fixture size 595x595 mm. Ceiling cutout 580x580 mm.

**PLUTO FLAT PANEL (SURFACE)**

Ultra modern, compact surface mounted luminaire in MS housing with opal diffuser & complete with electronic driver & high brightness SMD LEDs.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
36W LED 3000K (2'x2')	LHEWEBP5ON1W036	Diffused	7470/-	02
36W LED 6000K (2'x2')	LHEWEBP7NL1W036	Diffused	7470/-	02
36W LED 6000K (4'x1')	LHEWEBP7PN1W036	Diffused	7470/-	02

Fixture size 595x595 mm (2'x2'). Fixture size 1155x295 mm (4'x1').

**VENUS**

Ultra modern recess mounting luminaire suitable for armstrong/grid ceiling in MS housing with high brightness LEDs.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
42W LED 6000K	LHEWDRP7UL1W045	Diffused	6780/-	01

Fixture size 595x595 mm.



ENDURA FLAT PANEL 16W

16W LED 1'x1' luminaire suitable for recess mounting & armstrong/grid/POP ceiling with elegantly designed extruded al. bottom frame & MS powder coated white housing complete with separate electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
16W LED 6000K	LHEWEBP7PL1W016	Diffused	3500/-	01

Ceiling cutout 268x268 mm.

**ENDURA FLAT PANEL 32W**

32W LED modular 1'x2' luminaire suitable for recess mounting & armstrong/grid/POP ceiling with elegantly designed extruded al. bottom frame & MS powder coated white housing complete with separate electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
32W LED 6000K	LHEWEBP7UL1W032	Diffused	5500/-	01

Ceiling cutout 268x560 mm.

**ENDURA FLAT PANEL 55W NEW IP44**

55W LED modular luminaire suitable for recess armstrong/grid ceiling and POP mounting complete with separate electronic driver with IP44.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
55W LED 6000K	LHEWEBP7PL4W055	Diffused	9000/-	01

Ceiling cutout 580x580 mm.

**ENDURA FLAT PANEL ULTRA SLIM (Edge-Lit)**

36W LED edge-lit luminaire suitable for armstrong/grid ceiling complete with separate electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
36W LED 3000K	LHECDIL5IL1W036	Diffused	7200/-	01
36W LED 6000K	LHECDIL7IL1W036	Diffused	7200/-	01


Fixture size 595x595 mm.

Note: Edge-lit luminaire is not suitable for POP ceiling.

**ENDURA SKYLINE**

Ultra modern extruded aluminium surface/suspended 40W LED luminaire along with suspension kit & integral electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
40W LED 4000K (4 ft.)	LHEIAPP6IN1S040	Diffused	12530/-	01
40W LED 6000K (4 ft.)	LHEIAPP7IN1S040	Diffused	12530/-	01



ENDURA LINEAR LED


Wall mounted LED batten, extruded aluminium heat sink provided for efficient heat dissipation & integrated electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
12W LED 4000K (2 ft.)	LHEWEBP6PL1W012	Diffused	1490/-	10
12W LED 6000K (2 ft.)	LHEWEBP7PL1W012	Diffused	1490/-	10
22W LED 4000K (4 ft.)	LHEWEBP6PL1W022	Diffused	2470/-	10
22W LED 6000K (4 ft.)	LHEWEBP7PL1W022	Diffused	2470/-	10

**MAGNUM LED 24W IP66**

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing in opal finish suitable for wet location with high brightness LEDs.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
24W LED 6000K (4 ft.)	LHFKAWN7UC8W024	Diffused	4490/-	12

**ENDURA MAGNUM 20W & 40W**

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting luminaire with PC housing & opal finish cover suitable for wet location with LEDs as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
20W LED 6000K (2 ft.)	LHEKAWN7PZ6J020	Diffused	3560/-	06
40W LED 6000K (4 ft.)	LHEKAWN7IZ6J040	Diffused	7100/-	06

**ENDURA WELL GLASS**

Environmental friendly, energy saving long life corrosion resistant, vertical/horizontal surface mounting pressure die-cast aluminium well glass luminaires with high power LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
24W LED 6000K	LHEMABN7IN6J024	Diffused	6000/-	06
40W LED 6000K	LHEMABN7PN6J040	Diffused	6700/-	06

**ENDURA HIGHBRITE**

Energy saving, environment friendly & robust open type vertical Highbay/Mediumbay LED luminaire with high power COB LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
50W LED 6000K	LHELAWUDPC5K050	General Spread	11350/-	01
100W LED 6000K	LHELAWUDUC6K090	General Spread	21000/-	01
150W LED 6000K	LHELAWUDPC5K150	General Spread	25200/-	01

**ENDURA BAY BRITE**

Energy saving, environmental friendly, long life, exclusive innovative pressure die-cast aluminium Bay light with high power LEDs as light source, suitable for highlighting architectural features or retail spaces.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
80W LED 6000K	LHEPCOU7IN7J080	General Spread	17500/-	04
90W LED 6000K	LHELAWU7PN7J090	General Spread	18200/-	04
150W LED 6000K	LHEPCZU7IN7J150	General Spread	26000/-	02

**LED CLEAN ROOM**

IP54, dust free & zero maintenance LED clean room bottom opening luminaire for hygienic facilities & canopy.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
32W LED 6000K	LHECCWL7PW5W034	Diffused	9400/-	02
42W LED 6000K	LHECCWL7PW5W042	Diffused	9600/-	02
60W LED 6000K	LHECCWL7PW5W060	Diffused	11500/-	02

Ceiling cutout 595x595 mm.



JETA 30 & 50 NEW LED IP65

Energy saving IP65 flood light luminaire with high power COB LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
30W LED 5000K	LHEPCZUEIN6W030	Symmetric	5460/-	01
50W LED 5000K	LHEPCZUEIN6W050	Symmetric	9100/-	01

**JETA LINEAR**

Exclusive innovative designed, long life versatile pressure die-cast aluminium IP65 flood light luminaire with high power LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
80W LED 6000K	LHEUACN7PN6K080	Symmetric	20000/-	01
100W LED 6000K	LHEUACN7PN6K100	Symmetric	21000/-	01
150W LED 6000K	LHEUACN7PN6K150	Symmetric	30000/-	01

**JETA NEO 120/150**

Energy saving, environmental friendly, long life, exclusive innovative die-cast aluminium flood light with high power LEDs as light source, suitable for highlighting architectural features or retail spaces.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
120W LED 6000K	LHEPCZU7P46J120	Symmetric	26500/-	01
150W LED 6000K	LHEPCZU7I46J150	Symmetric	30000/-	01

**CANOPY**

Exclusive innovative designed, long life versatile pressure die-cast aluminium IP66 canopy light luminaire with high power LEDs as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
80W LED 6000K	LHEMACP7PN6S080	Symmetric	27500/-	01



ENDURA SPRING 4

Energy saving, sleek 40W LED post top luminaire made of pressure die-cast aluminium housing & opal diffuser.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
40W LED 6000K	LHEVBPP7IN6J040	General Spread	41400/-	01

Suitable for pole dia Ø 76 mm.

**ENDURA SPRING 5**

Energy saving, exclusive design 40W LED post top luminaire made of pressure die-cast aluminium housing & clear glass.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
40W LED 6000K	LHEVBPP7PN6J040	General Spread	42000/-	01

Suitable for pole dia Ø 76 mm.

**ENDURA RUGBY**

Energy saving new generation 10W LED bulkhead luminaire with opal diffuser.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
10W LED 6000K	LHEOAOP7UZ6W010	General Spread	1720/-	08

**ENDURA SPIKE**

Innovative design, energy saving 3.5W LED Spike luminaire in engineering plastic housing.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
3.5W LED 3000K	LHEVAWP5UN6K3X5	General Spread	1690/-	50

**ENDURA WALKOVER**

Energy saving 3W LED Walkover luminaire.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
3W LED 3000K	LHEVAXP5UN6W003	Diffused	2270/-	20



ENDURA CITYLITE 25W

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium roadway luminaire with high power LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
25W LED 5000K	LHEWDRP7PN1W025	Asymmetric	3800/-	01


Suitable for pole dia Ø 35 mm (max.).

**ENDURA CITYLINER NEO**

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium roadway luminaire with high power LEDs as light source and electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
15W LED 6000K	LHETAXU7IN6W015	Asymmetric	3850/-	01
20W LED 6000K	LHETAXU7UN6J020	Asymmetric	4250/-	01
24W LED 6000K	LHETAXU7UN6W024	Asymmetric	5400/-	01

Suitable for pole dia Ø 35 mm (max.).

**ENDURA CITYLINER NEO**

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium roadway luminaire with high power LEDs as light source and electronic driver.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
48W LED 6000K	LHETAXU7PN6W048	Asymmetric	8700/-	01

Suitable for pole dia Ø 35 mm (max.).

**ENDURA CITYLINER NEO**

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium roadway luminaire with high power LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
60W LED 6000K	LHETAXU7PN6J060	Asymmetric	10850/-	01
72W LED 6000K	LHFAXU7DPN6J070	Asymmetric	13500/-	01
80W LED 6000K	LHETAXU7PN6J080	Asymmetric	15000/-	01
90W LED 6000K	LHETAXU7IN6J090	Asymmetric	16000/-	01
120W LED 6000K	LHETAXU7IN6J120	Asymmetric	22000/-	01
150W LED 6000K	LHETAXU7IN6J150	Asymmetric	27500/-	01
170W LED 6000K	LHETAXU7PN6J170	Asymmetric	45430/-	01

Suitable for pole dia Ø 54 mm (max.) for 60W/72W/80W LED.

Suitable for pole dia Ø 63 mm (max.) for 90W/120W/150W.

**ENDURA CITY BRITE**

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium roadway luminaire with high power COB LED as light source.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
30W LED 5000K	LHEWEBP7PN6W030	Asymmetric	5500/-	01
50W LED 5000K	LHEWDRP7PN1W050	Asymmetric	10500/-	01

Suitable for pole dia 30W Ø 40 mm, 50W Ø 40 mm (max.).



TITANIA LED TUBE LIGHT (Single Side Connection)

Ultra bright LED Tubelight (single side connection) with very high efficacy suited for installation in existing tubelight G13 lamp holders to give glare free light.

Lamp Type	Ordering Code	Optics	MRP Each (₹)	Case Lot (No)
10W LED	LHEYBWP7IG1S010	Diffused	1000/-	16
16W LED	LHLDCLXNUK7Z016	Diffused	1250/-	16
18W LED	LHLDCLXNUJ7Z018	Diffused	1250/-	16
20W LED	LHLDCLXNUJ7Z020	Diffused	1300/-	16



REGAL BATTEN FOR LED TUBE (Single Side Connection)

Lamp Type	Ordering Code	Optics	List Price Each (₹)	Case Lot (No)
Upto 1x22W LED Tube	LHFYBYPNIA1W022	Diffused	595/-	10
Upto 2x22W LED Tube	LHFYBYG2IN1W020	Diffused	625/-	10



To keep our Planet Green!
Use **LED** Lighting...



REGIONAL & BRANCH OFFICES:

NORTH - REGIONAL OFFICE: Corporate Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304, Tel: 0120-3331000, **Delhi:** Tel: 011-47676700, 23888200, **Chandigarh:** Tel: 0172-4232400-401, **Dehradun:** Tel: 0135-6670202, **Noida / Haryana:** Tel: 0120-3331000, **Ludhiana:** Tel: 0161-4676000 / 24, **Jammu:** Tel: 0191-2478330, 2479330, **Sri Nagar:** Tel: 0194-2490431, **Jaipur:** Tel: 0141-3914645, 3988210 **Jodhpur:** Tel: 0291-9214201640 / 45, **Lucknow:** Tel: 0522-6672100, **Kanpur:** Tel: 0512-6710400, 6710409

EAST - REGIONAL OFFICE: Kolkata: ICC Tower, 5th Floor, 4 India Exchange Place, Kolkata-700001, Tel: 033-40129851 / 52, **Bhubaneswar:** Tel: 0674-6668101/102/103/104, **Guwahati:** Tel: 0361-2134521, 2458923, 2460355, **Siliguri:** Tel: 0353-2525907, **Ranchi:** 0651-2244861, 2244862, 2244864, 2244868, 2244869, **Jamshedpur:** Tel: 0657-6542492, 09234369436, **Patna:** Tel: 0612-2207221, 2207222, 2207223, 2655518

WEST - REGIONAL OFFICE: Mumbai: 301, Everest House, 3rd Floor, 6, Suren Road, Chakala, Andheri (E). Mumbai - 400 093, Tel: 022-67298600-602, **Ahmedabad:** Tel: 079-40061111, 40060738-740, **Indore:** Tel: 0731-2572340-41, 4009998 (Airtel), **Rajkot:** Tel: 0281-2481112, 2921212, **Nagpur:** Tel: 0712-2240932, 2242692, 2242699 **Pune:** Tel: 020-64016413 / 14, **Raipur:** Tel: 0771-4243400 / 01, **Surat:** Tel: 0261-2350137, 9979890137, **Jabalpur:** Tel: 0761-4064491

SOUTH - REGIONAL OFFICE: Chennai: Sigapi Achi Building, No. 18 / 3, 6th Floor, Rukmani Lakshmi Pathy Road, Egmore, Chennai-600008, Tel: 044-42280600, 605, **Bangalore:** Tel: 080-49075000, **Coimbatore:** Tel: 0422-2305767, 2306199, 2305199, **Hyderabad:** Tel: 040-27533372, 27533355, 27533632, 66320407/0408/6401/6402, **Kochi:** Tel: 0484-4099000, **Vishakapatnam:** Tel: 0891-6514339, **Vijayawada:** Tel: 91+9247058847/57, **Calicut:** 09895855499, **Madurai:** 09994493242, **Trivandrum:** 09633817795, **Hubli:** 09448146028, **Trichy:** 09944460160

Representative Offices: • Goa • Solapur • Gwalior • Kathmandu • Bhopal

Havells India Ltd.

QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000,
E-mail: marketing@havells.com, www.havells.com
Consumer Care No.: 1800 11 0303, 1800 103 1313 (All Connections), 011-4166 0303 (Landline)
Join us on Facebook at www.facebook.com/havells and share your ways to save the planet!
CIN - L31900DL1983PLC016304.

