











Modernia | Domestico | Industria Urbania | Arenia | Gardenia | Lamps



#### Dear Customers,

The unconditional support of all our customers and sales partners has made our journey fruitful and fulfilling. Thanks to you all, we have left no stone unturned to make this journey an exciting and memorable one, during these four decades. I take this opportunity to thank you and convey my gratitude for the unabated support and trust you have always reposed in Polycab and encouraged us to move ahead confidently.

The advent of the second millennium has brought in its wake a transformation in the mindset of the customer. The expectation of a customer has risen exponentially. That's why, we have geared up towards keeping our customers totally satisfied.

Our flexibility and openness to new market trends and changing technology continue to be our driving force. The core values of teamwork, trust amongst people and customer focus have given us a unique position among the Indian industry.

As we gear up for the future, we have established our well recognized market presence with a strong product portfolio. We have also streamlined our efficient manufacturing capabilities to withstand the winds of change. However, we are aware that we will

need to be even more proactive, agile and customer centric.

This is possible only when we will anticipate the future and be ready with solutions, even before you as the customer ask for them. There are many new challenges the cable industry is facing with new market opportunities and product developments, due to thrust in renewable energy sector. We have achieved success towards developing and delivering products for this segment and at the same time ensured to be internationally competitive.

Our business model is evolving. We have identified focus areas of growth over the next five years and beyond. That's how, we will diversify into adjacent product categories such as Lighting, Luminaires, Switches, Switchgear, Electric Fans and Appliances in the near future.

Polycab aspires to be 10000+ crores company in the upcoming years, I am confident that this will keep us ahead and winning in our endeavour to be the preferred brand in this market.

We pledge to improve each day to serve you better.

INDER JAISINGHANI
Chairman & Managing Director



#### **CONTENTS**

| Modernia    | 01   |
|-------------|------|
| Domestico   | 09   |
| ndustria    | . 17 |
| Jrbania     | 24   |
| Arenia      | 30   |
| Gardenia    | 35   |
| _amps       | 38   |
| Accessories | 42   |



Innovative ideas for brighter workspaces





#### **LED SLIM PANEL**

Edgelit LED Slim Panel having white powder coated extruded Aluminium body with high quality LGP and PMMA diffuser. Separate HPF driver. Suitable for Armstrong and Grid ceiling. Available CCT 4000K & 6000K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PMD0401001   | PCGLP 1x1 20 60       | 20 W    | 6000 K | 5           | 3,995.00 |
| PMD0401003   | PCGLP 1x1 20 40       | 20 W    | 4000 K | 5           | 3,995.00 |
| PMD0401006   | PCGLP 1x2 30 60       | 30 W    | 6000 K | 5           | 4,115.00 |
| PMD0401013   | PCGLP 1x2 30 40       | 30 W    | 4000 K | 5           | 4,115.00 |
| PMD0401008   | PCGLP 1x4 40 60       | 40 W    | 6000 K | 5           | 5,630.00 |
| PMD0401014   | PCGLP 1x4 40 40       | 40 W    | 4000 K | 5           | 5,630.00 |
| PMD0401002   | PCGLP 2x2 40 60       | 40 W    | 6000 K | 4           | 6,995.00 |
| PMD0401004   | PCGLP 2x2 40 40       | 40 W    | 4000 K | 4           | 6,995.00 |

#### LED BACK LIT PANEL

Back lit LED Panel having white Polycarbonate body & Aluminium plate heat sink, high quality PMMA diffuser and HPF driver. Suitable for Gypsum, POP, Armstrong and Grid ceiling. Available CCT 6000K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PMD0404004   | PCGLBLP 36 60         | 36 W    | 6000 K | 5           | 3,900.00 |
| PMD0404005   | PCGLBLP 01 40 60      | 40 W    | 6000 K | 5           | 4,725.00 |
| PMD0404007   | PCGLBLP 01 40 E 60    | 40 W    | 6000 K | 5           | 4,725.00 |

## LED BACK LIT PANEL

NEW

Back lit LED Panel having white CRCA body, high quality PMMA diffuser. Separate HPF driver. Suitable for Armstrong and Grid ceiling. Available CCT 5700K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | CCT    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PMD0405005   | PCGLLL 36 57          | 36 W    | 5700 K | 2           | 4,150.00 |
| PMD0404001   | PCGLBL 45 57          | 45 W    | 5700 K | 2           | 6,500.00 |
| PMD0404006   | PCGLBL 55 57          | 55 W    | 5700 K | 2           | 7,750.00 |





#### **LED DECORATIVE 1X4 SLIM PANEL**

Edgelit LED Slim Panel having white powder coated extruded Aluminium body with decorative plastic corner caps. High quality LGP & PMMA diffuser. Separate dimmable driver. Suitable for Armstrong and Grid ceiling. Available CCT 6000K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP       |
|--------------|-----------------------|---------|--------|-------------|-----------|
| PMD0401009   | PCGLPF 01 40 60       | 40 W    | 6000 K | 2           | 14,750.00 |



#### LED COMMERCIAL LUMINAIRE

LED Commercial 2X2 having white powder coated CRCA body with opal PMMA wide diffuser at centre. Separate driver. Suitable for Armstrong and Grid ceiling. Available CCT 6500K.

| PRODUCT CODE | CATEGORY<br>Reference | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PMD0405003   | PCGLMD 36             | 36 W    | 6500 K | 2           | 6,900.00 |

#### **LED COMMERCIAL LUMINAIRE**

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PMD0405004   | PCGLMW 36             | 36 W    | 6500 K | 2           | 5,650.00 |





#### **LED SUSPENDED FIXTURES**

Extruded Aluminium body LED Linear Suspended fixture with opal Polycarbonate diffuser. Suitable for commercial applications. Available CCT 5700K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PMD0403001   | PCGLSU 36 60          | 36 W    | 5700 K | 2           | 7,500.00 |




#### LED SURFACE / SUSPENDED FIXTURE

Extruded Aluminium body LED Linear Surface / Suspended fixture with opal Polycarbonate diffuser. Separate dimmable driver. Suitable for commercial applications. Available CCT 6000K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP       |
|--------------|-----------------------|---------|--------|-------------|-----------|
| PMD0403004   | PCGLSE 38 60          | 38 W    | 6000 K | 6           | 13,525.00 |

#### **LED COMMERCIAL DOWNLIGHT**

Recess mounting Backlit LED Downlight, Round PDC Aluminium body with outer frame. Separate driver. Available CCT 6000 K.











#### **LED COMMERCIAL DOWNLIGHT**

Recess mounting Backlit LED Downlight, Square PDC Aluminium body with ABS outer frame. Separate driver. Available CCT  $5700\,\mathrm{K}$ .

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PMD0402001   | PCGLD 01 18 SQ 60     | 18 W    | 5700 K | 20          | 2,075.00 |
| PMD0402002   | PCGLD 01 24 SQ 60     | 24 W    | 5700 K | 20          | 2,425.00 |



#### RECESS MOUNTING DIRECT / INDIRECT COMMERCIAL LUMINAIRE

Recess Mounting Direct / Indirect 2x2 Luminaire with powder coated CRCA body with P5 Optics at centre. Suitable for Twin PL Lamp and pre-wired with HF electronic ballast.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|----------|--------------|-------------|----------|
| PMD0201001   | PCDI 236 C P5 HFC 2   | 2 X 36 W | PLL          | 2           | 2,150.00 |
| PMD0201002   | PCDI 236 C P5 HFP 2   | 2 X 36 W | PLL          | 2           | 2,275.00 |

#### RECESS MOUNTING DIRECT / INDIRECT COMMERCIAL LUMINAIRE

Recess Mounting Direct Indirect 2x2 Luminaire with powder coated CRCA body with Centre perforated optics. Suitable for Twin PL Lamp and pre-wired with HF electronic ballast.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP        |
|--------------|-----------------------|----------|--------------|-------------|------------|
| PMD0202001   | PCDI 236 C HFC 2      | 2 X 36 W | PLL          | 2           | 1,925.00   |
| PMD0202002   | PCDI 236 C HFP 2      | 2 X 36 W | PLL          | 2           | On Request |







#### **ENEGRY SAVING T5 MIRROR OPTICS LUMINAIRE**



| PRODUCT CODE | CATEGORY<br>REFERENCE  | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|------------------------|----------|--------------|-------------|----------|
| PMD0203009   | PCLMX 01 414 T 2 HFC 4 | 4 X 14 W | LFL T5       | 2           | 3,225.00 |
| PMD0203011   | PCLMX 01 424 T 2 HFC 4 | 4 X 24 W | LFL T5       | 2           | 3,250.00 |



#### **RECESS MOUNTING P5 OPTICS LUMINAIRE**

Recess mounting 2x2 Luminaire, powder coated CRCA body with P5 Louvre. Suitable for twin PL Lamps and pre-wired with HF electronic ballast.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|----------|--------------|-------------|----------|
| PMD0204002   | PCP5 236 C HFC 2      | 2 X 36 W | PLL          | 2           | 2,300.00 |

#### **SURFACE MOUNTING P5 OPTICS LUMINAIRE**

Surface mounting 2x2 Luminaire with powder coated CRCA body and P5 Louvre. Suitable for twin PL Lamps and pre-wired with HF electronic ballast.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|----------|--------------|-------------|----------|
| PMD0301002   | PCSP5 236 C HFC 2     | 2 X 36 W | PLL          | 2           | 2,350.00 |







#### **COMMERCIAL DOWNLIGHT - LOW DEPTH**

Low Depth Recess Mounting PL Lamp Downlight with Powder Coated CRCA Frame. Specular Aluminum Reflector. Pre-wired with HF Electronic Ballast.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|----------|--------------|-------------|--------|
| PMD0103006   | PCRD 118 C LD HF      | 1 X 18 W | PL           | 8           | 650.00 |
| PMD0103007   | PCRD 218 C LD 2HF     | 2 X 18 W | PL           | 8           | 800.00 |



#### COMMERCIAL DOWNLIGHT

Recess Mounting PL Lamp Downlight with Powder Coated CRCA Frame.

Specular / Matt finished Aluminium Reflector. Pre-wired with HF Electronic Ballast.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|----------|--------------|-------------|--------|
| PMD0103019   | PCRD 118 H C HF       | 1 X 18 W | PL           | 8           | 800.00 |
| PMD0103014   | PCRD 118 H C M HF     | 1 X 18 W | PL           | 8           | 650.00 |
| PMD0103020   | PCRD 218 H C 2HF      | 2 X 18 W | PL           | 8           | 950.00 |
| PMD0103015   | PCRD 218 H C M 2HF    | 2 X 18 W | PL           | 8           | 800.00 |

#### **COMMERCIAL DOWNLIGHT - FROSTED GLASS VISOR**

Recess Mounting PL Lamp Downlight with Powder Coated CRCA Frame. Specular / Matt finished Aluminium Reflector. Frosted Glass Visor. Pre-wired with HF Electronic Ballast.

|   | PRODUCT CODE | CATEGORY<br>REFERENCE  | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|---|--------------|------------------------|----------|--------------|-------------|----------|
|   | PMD0103004   | PCRD 118 H C FFG HF    | 1 X 18 W | PL           | 12          | 975.00   |
| ı | PMD0103002   | PCRD 118 H C M FFG HF  | 1 X 18 W | PL           | 12          | 975.00   |
| ı | PMD0103005   | PCRD 218 H C FFG 2HF   | 2 X 18 W | PL           | 12          | 1,150.00 |
|   | PMD0103003   | PCRD 218 H C M FFG 2HF | 2 X 18 W | PL           | 12          | 1,150.00 |







#### LOW GLARE DOWNLIGHT

Recess Mounting PL Lamp Downlight with Low Glare Louver and Powder Coated CRCA Frame. Specular Aluminium Reflector. Pre-wired with HF Electronic Ballast.


| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|----------|--------------|-------------|--------|
| PMD0103008   | PCRD 118 C LG HF      | 1 X 18 W | PL           | 8           | 800.00 |
| PMD0103009   | PCRD 218 C LG 2HF     | 2 X 18 W | PL           | 8           | 975.00 |



#### TURBO DOWNLIGHT

Recess Mounting PL Lamp Downlight with Tourbo Louver and Powder Coated CRCA Frame. Specular Aluminium Reflector. Pre-wired with HF Electronic Ballast.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|----------|--------------|-------------|----------|
| PMD0103012   | PCRD 118 C TUR HF     | 1 X 18 W | PL           | 8           | 900.00   |
| PMD0103013   | PCRD 218 C TUR 2HF    | 2 X 18 W | PL           | 8           | 1,075.00 |







#### INTENSO LX BATTEN

Self ballasted LED Batten. Extruded Thermoplastic body with PC diffuser.  $240^{\circ}$  wide Distribution. Available CCT 6500 K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00103004   | PCGLB LX 8 65         | 8 W     | 6500 K | 20          | 750.00   |
| LD00103007   | PCGLB LX 12 65        | 12 W    | 6500 K | 20          | 995.00   |
| LD00103010   | PCGLB LX 20 65        | 20 W    | 6500 K | 20          | 1,245.00 |





#### INTENSO VX BATTEN

Self ballasted LED Batten. Extruded Thermoplastic body with PC diffuser. 240° wide Distribution. Available CCT 6500 K

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00103017   | PCGLB VX 20 65        | 20 W    | 6500 K | 20          | 1,245.00 |

#### INTENSO DLX BATTEN

Self ballasted LED Batten. Extruded Aluminium body with PC diffuser. 240° wide Distribution. Available CCT 3000 K & 6500K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00103101   | PCGLB DLX 8 65        | 8 W     | 6500 K | 20          | 850.00   |
| LD00103104   | PCGLB DLX 8 30        | 8 W     | 3000 K | 20          | 850.00   |
| LD00103102   | PCGLB DLX 12 65       | 12 W    | 6500 K | 20          | 1,150.00 |
| LD00103103   | PCGLB DLX 20 65       | 20 W    | 6500 K | 20          | 1,450.00 |
| LD00103106   | PCGLB DLX 20 30       | 20 W    | 3000 K | 20          | 1,450.00 |







#### SCINTILLATE LED ROUND DOWNLIGHT

Recess mounting Backlit LED Downlight with powder coated PDC Aluminium body and heat sink. Separate driver.

Available CCT 6000 K & 4000 K.

| PRODUCT CODE | CATEGORY<br>Reference | WATTAGE | CCT    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00101001   | PCGLD 15 R FFG 65     | 15 W    | 6000 K | 10          | 1,995.00 |
| LD00101002   | PCGLD 15 R FFG 40     | 15 W    | 4000 K | 10          | 1.995.00 |





#### SCINTILLATE LED ROUND SLIM DOWNLIGHT

Recess mounting Edge lit Slim LED Downlight, Round powder coated PDC Aluminium body and high quality PMMA diffuser. Separate driver. Available CCT  $3000\,K$ ,  $4000\,K$  &  $6000\,K$ .

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00110001   | PCGLD 6 R 60          | 6 W     | 6000 K | 10          | 995.00   |
| LD00110004   | PCGLD 6 R 40          | 6 W     | 4000 K | 10          | 995.00   |
| LD00110007   | PCGLD 6 R 30          | 6 W     | 3000 K | 10          | 995.00   |
| LD00110002   | PCGLD 12 R 60         | 12 W    | 6000 K | 10          | 1,395.00 |
| LD00110005   | PCGLD 12 R 40         | 12 W    | 4000 K | 10          | 1,395.00 |
| LD00110008   | PCGLD 12 R 30         | 12 W    | 3000 K | 10          | 1,395.00 |
| LD00110003   | PCGLD 18 R 60         | 18 W    | 6000 K | 10          | 1,995.00 |
| LD00110006   | PCGLD 18 R 40         | 18 W    | 4000 K | 10          | 1,995.00 |
| LD00110009   | PCGLD 18 R 30         | 18 W    | 3000 K | 10          | 1,995.00 |





#### SCINTILLATE LED SQUARE SLIM DOWNLIGHT

Recess mounting Edge lit Slim LED Downlight, Square powder coated PDC Aluminium body and high quality PMMA diffuser. Separate driver. Available CCT 3000 K,  $4000 \, \text{K} & 6000 \, \text{K}$ .

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00111001   | PCGLD 6 SQ 60         | 6 W     | 6000 K | 10          | 995.00   |
| LD00111004   | PCGLD 6 SQ 40         | 6 W     | 4000 K | 10          | 995.00   |
| LD00111007   | PCGLD 6 SQ 30         | 6 W     | 3000 K | 10          | 995.00   |
| LD00111002   | PCGLD 12 SQ 60        | 12 W    | 6000 K | 10          | 1,395.00 |
| LD00111005   | PCGLD 12 SQ 40        | 12 W    | 4000 K | 10          | 1,395.00 |
| LD00111008   | PCGLD 12 SQ 30        | 12 W    | 3000 K | 10          | 1,395.00 |
| LD00111003   | PCGLD 18 SQ 60        | 18 W    | 6000 K | 10          | 1,995.00 |
| LD00111006   | PCGLD 18 SQ 40        | 18 W    | 4000 K | 10          | 1,995.00 |
| LD00111009   | PCGLD 18 SQ 30        | 18 W    | 3000 K | 10          | 1,995.00 |



#### SCINTILLATE EDGE LED ROUND SLIM DOWNLIGHT

Recess mounting Edge lit Slim and LED Downlight, Round powder coated PDC Aluminium body with decorative glass plate. Separate driver. Available CCT 6000 K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00108001   | PCGLELP 12 R          | 12 W    | 6000 K | 10          | 1,995.00 |





#### SCINTILLATE EDGE LED SQUARE SLIM DOWNLIGHT

Recess mounting Edge lit Slim and LED Downlight, Square powder coated PDC Aluminium body with decorative glass plate. Separate driver. Available CCT 6000 K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00109001   | PCGLELP 12 SQ         | 12 W    | 6000 K | 10          | 1,995.00 |



#### SCINTILLATE DLX SLIM LED DOWNLIGHT - ROUND

Recess mounting Backlit Slim LED Downlight with Round Aluminium alloy body and Polycarbonate outer rim. Separate driver. Available CCT 6000 K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00102001   | PCGLDLX 14 R          | 14 W    | 6000 K | 10          | 2,395.00 |
| LD00102002   | PCGLDLX 21 R          | 21 W    | 6000 K | 10          | 3,495.00 |

#### **PEARL SPOT**

Recess mounting LED Downlight Round.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|--------|-------------|--------|
| LD00114001   | PCGLDS 2 30           | 2 W     | 3000 K | 50          | 225.00 |
| LD00114002   | PCGLDS 2 65           | 2 W     | 6500 K | 50          | 225.00 |
| LD00114003   | PCGLDS 2 B            | 2 W     | BLUE   | 50          | 225.00 |
| LD00114004   | PCGLDS 2 R            | 2 W     | RED    | 50          | 225.00 |
| LD00114005   | PCGLDS 2 G            | 2 W     | GREEN  | 50          | 225.00 |









#### PEARL COB LED DOWNLIGHT

Recess mounting COB LED adjustable Downlight with Round PDC aluminium body and  $24^{\rm o}$  Glass Lens. Separate driver. Available CCT 3000 K  $\&\,6500$  K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00104001   | PCGLDC 4 65           | 4 W     | 6500 K | 10          | 1,195.00 |
| LD00104002   | PCGLDC 4 30           | 4 W     | 3000 K | 10          | 1,195.00 |
| LD00104003   | PCGLDC 6 65           | 6 W     | 6500 K | 10          | 1,395.00 |
| LD00104004   | PCGLDC 6 30           | 6 W     | 3000 K | 10          | 1,395.00 |
| LD00104005   | PCGLDC 9 65           | 9 W     | 6500 K | 10          | 1,995.00 |
| LD00104006   | PCGLDC 9 30           | 9 W     | 3000 K | 10          | 1,995.00 |
| LD00104007   | PCGLDC 11 65          | 11 W    | 6500 K | 10          | 2,295.00 |
| LD00104008   | PCGLDC 11 30          | 11 W    | 3000 K | 10          | 2,295.00 |



#### PEARL GRID COB LED DOWNLIGHT

Recess mounting COB LED adjustable Downlight with Square PDC aluminium body and  $24^{\rm o}$  Glass Lens. Separate driver. Available CCT  $3000\,\rm K$  &  $6500\,\rm K$ .

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00105001   | PCGLDCG 4 65          | 4 W     | 6500 K | 10          | 1,495.00 |
| LD00105002   | PCGLDCG 4 30          | 4 W     | 3000 K | 10          | 1,495.00 |
| LD00105003   | PCGLDCG 6 65          | 6 W     | 6500 K | 10          | 1,645.00 |
| LD00105004   | PCGLDCG 6 30          | 6 W     | 3000 K | 10          | 1,645.00 |

#### **CELENE - SURFACE LIGHTING**

Aesthetically designed energy saving LED Wall light. White powder coated CRCA housing and PMMA dome diffuser.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LD00112001   | PCGLWL 10 R           | 10 W    | 6000 K | 10          | 1,950.00 |
| LD00112002   | PCGLWL 14 R           | 14 W    | 6000 K | 10          | 2,650.00 |
| LD00112003   | PCGLWL 18 R           | 18 W    | 6000 K | 10          | 3,350.00 |
| LD00112004   | PCGLWL 22 R           | 22 W    | 6000 K | 10          | 3,950.00 |









#### LED STRIP LIGHT

Flexible LED Strip, 4.8 W per meter, suitable for Cove lighting and indirect lighting. Available in Three Colours. Driver required seperately.



| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|--------|-------------|--------|
| LD00113001   | PCGLSTR 24 65         | 24 W    | 6500 K | 40          | 700.00 |
| LD00113002   | PCGLSTR 24 30         | 24 W    | 3000 K | 40          | 700.00 |
| LD00113003   | PCGLSTR 24 B          | 24 W    | BLUE   | 40          | 700.00 |





#### OTTIMO ELECTRONIC LFL BATTEN

Sleek domestic batten suitable for T8 Lamps. Pre-wired with HF Electronic Ballast. Sturdy Pre-coated CRCA fabricated body for long life.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|--------------|-------------|--------|
| LD00201003   | PCPTE 136 F           | 36 W    | LFL T8       | 16          | 380.00 |





#### **ONELLA T5 LUMINAIRE**

Decorative domestic batten pre-wired with T5 Lamp & HF Electronic Ballast. Extruded PVC body with newly designed end caps. Available in PC Ribbed Diffuser and Open versions.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|--------------|-------------|--------|
| LD00204001   | PCEP 114 T HF         | 14 W    | LFL T5       | 20          | 525.00 |
| LD00204002   | PCEP 114 DI T HF      | 14 W    | LFL T5       | 20          | 575.00 |
| LD00204003   | PCEP 128 T HF         | 28 W    | LFL T5       | 20          | 575.00 |
| LD00204004   | PCEP 128 DI T HF      | 28 W    | LFL T5       | 20          | 675.00 |






#### ONELLA DLX T5 LUMINAIRE WITH TUBE & DIFFUSER

Aesthetically designed domestic batten. Pre-wired with T5 Lamp & HF Electronic Ballast. Extruded Aluminium body with bi-color end caps and PC Ribbed Diffuser.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | LAMP<br>Type | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|--------------|-------------|--------|
| LD00204006   | PCEPA 128 DI T HF     | 28 W    | LFL T5       | 20          | 775.00 |
| LD00204008   | PCEPA 114 DI T HF     | 14 W    | LFL T5       | 20          | 700.00 |







#### **LED HIGH BAY**

New generation Energy saving LED highbay solution with copper heatsink. ABS body and Polycarbonate visor. Low weight for ease of installation.  $90^{\circ}$  wide Distribution. Available CCT 5700 K. IP 66.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | CCT    | CASE<br>LOT | MRP       |
|--------------|-----------------------|---------|--------|-------------|-----------|
| PID1001001   | PCGLH 100             | 100 W   | 5700 K | 1           | 26,675.00 |
| PID1001002   | PCGLH 150             | 150 W   | 5700 K | 1           | 29,900.00 |





#### LED WELL GLASS

Powder coated PDC Aluminium body with opal diffuser. Available CCT 6000K and 3000K IP 65.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PID1003001   | PCGLWG 35 60          | 35 W    | 6000 K | 4           | 6,725.00 |
| PID1003002   | PCGLWG 35 30          | 35 W    | 3000 K | 4           | 6,725.00 |

#### **LED WEATHER PROOF LUMINAIRE**

Surface mounting LED Luminaire with Corrosion Resistant Polycarbonate body and cover. Toggle less. Efficacy 90 Lm/W. Available in CCT 6000 K.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PID0802002   | PCGLPC 01 18          | 18 W    | 6000 K | 12          | 3,175.00 |
| PID0802003   | PCGLPC 01 36          | 36 W    | 6000 K | 8           | 5,675.00 |







#### **INDUSTRIAL T8 / T12 BATTEN LUMINAIRE**

Pre-Coated CRCA body, heavy duty industrial batten suitable for 4 feet T8/T12 Lamps. Available in open, Aluminium and Pre-Coated reflector.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE     | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|-------------|--------------|-------------|----------|
| PID0501001   | PCIB 136/140 T HFC    | 1 X 36/40 W | LFL T8/T12   | 10          | 675.00   |
| PID0501003   | PCIB 236/240 T HFC 2  | 2 X 36/40 W | LFL T8/T12   | 10          | 925.00   |
| PID0501004   | PCIBP 136/140 T HFC   | 1 X 36/40 W | LFL T8/T12   | 10          | 975.00   |
| PID0501005   | PCIBP 236/240 T HFC 2 | 2 X 36/40 W | LFL T8/T12   | 10          | 1,225.00 |
| PID0501006   | PCIBA 136/140 T HFC   | 1 X 36/40 W | LFL T8/T12   | 10          | 950.00   |
| PID0501007   | PCIBA 236/240 T HFC 2 | 2 X 36/40 W | LFL T8/T12   | 10          | 1,200.00 |

#### **INDUSTRIAL T5 BATTEN LUMINAIRE**

 $\label{thm:control} \mbox{Pre-Coated CRCA body, heavy duty industrial batten suitable for 28W\,T5\,Lamps.} \mbox{ Available in open, Aluminium / Pre-Coated reflector.}$ 

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>Type | CASE<br>LOT | MRP        |
|--------------|-----------------------|----------|--------------|-------------|------------|
| PID0501008   | PCIB 128 T HFC        | 1 X 28 W | LFL T5       | 10          | 700.00     |
| PID0501009   | PCIB 228 T HFC        | 2 X 28 W | LFL T5       | 10          | 925.00     |
| PID0501010   | PCIB 128 T HFC RoHS   | 1 X 28 W | LFL T5       | 10          | On Request |
| PID0501011   | PCIB 228 T HFC 2 RoHS | 2 X 28 W | LFL T5       | 10          | On Request |
| PID0501012   | PCIBP 128 T HFC       | 1 X 28 W | LFL T5       | 10          | 925.00     |
| PID0501013   | PCIBP 228 T HFC       | 2 X 28 W | LFL T5       | 10          | 1,125.00   |
| PID0501014   | PCIBA 128 T HFC       | 1 X 28 W | LFL T5       | 10          | 950.00     |
| PID0501015   | PCIBA 228 T HFC       | 2 X 28 W | LFL T5       | 10          | 1,150.00   |





#### INDUSTRIAL BATTEN LUMINAIRE FOR RETROFIT LED TUBE

Pre-Coated CRCA body, heavy duty industrial batten. Suitable for Retrofit LED Tube.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|----------|--------------|-------------|--------|
| PID0502001   | PCIB 118 WOD          | 1 X 18 W | LED T8       | 10          | 450.00 |
| PID0502002   | PCIB 218 WOD          | 2 X 18 W | LED T8       | 10          | 475.00 |



Aluminium Reflector suitable for Industrial Batten.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|--------------|-------------|--------|
| PID0503001   | PCRA 128 / 228        | 28 W    | LFL T5       | 20          | 250.00 |
| PID0503003   | PCRA 136 / 236        | 36/40 W | LFL T8 / T12 | 20          | 275.00 |

#### PRE - COATED REFLECTOR FOR INDUSTRIAL BATTEN

Pre-coated Reflector suitable for Industrial Batten.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|--------------|-------------|--------|
| PID0503002   | PCRP 128/228          | 28 W    | LFL T5       | 10          | 225.00 |
| PID0503004   | PCRP 136/236          | 36/40 W | LFL T8/T12   | 10          | 300.00 |





#### **WEATHER PROOF LUMINAIRE FOR PL LAMPS**





| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|----------|--------------|-------------|----------|
| PID0801011   | PCPC 109 C HF         | 1 x 9 W  | PL           | 6           | 725.00   |
| PID0801012   | PCPC 111 C HF         | 1 x 11 W | PL           | 8           | 1,000.00 |
| PID0801013   | PCPC 118 C HF         | 1 x 18 W | PL           | 8           | 1,000.00 |

#### WEATHER PROOF LUMINAIRE FOR T8 / T12 LAMPS

Surface mounting Luminaire with Corrosion Resistant Polycarbonate body and cover. Suitable for LFL T8/T12 Lamps. Pre-wired HF Electronic Ballast. IP 65.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE     | LAMP<br>TYPE | CASE<br>LOT | MRP        |
|--------------|-----------------------|-------------|--------------|-------------|------------|
| PID0801002   | PCPC 136/140 F HFC    | 1 X 36/40 W | LFL T8/T12   | 8           | 1,675.00   |
| PID0801003   | PCPC 218/220 F HFC 2  | 2 X 18/20 W | LFL T8/T12   | 12          | On Request |
| PID0801004   | PCPC 236/240 F HFC 2  | 2 X 36/40 W | LFL T8/T12   | 5           | 2,150.00   |

#### **WEATHER PROOF LUMINAIRE FOR T5 LAMPS**

Surface mounting Luminaire with Corrosion Resistant Polycarbonate body and cover. Suitable for LFL T5 Lamps. Pre-wired HF Electronic Ballast. IP 65.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|----------|--------------|-------------|----------|
| PID0801006   | PCPC 128 T HFC        | 1 X 28 W | LFL T5       | 10          | 1,650.00 |
| PID0801010   | PCPC 228 T 2 HFC      | 2 X 28 W | LFL T5       | 6           | 2,400.00 |
| PID0801007   | PCPC 228 T HFC 2      | 2 X 28 W | LFL T5       | 6           | 2,100.00 |
| PID0801008   | PCPC 154 T HFI        | 1 X 54 W | LFL T5       | 10          | 2,350.00 |
| PID0801009   | PCPC 254 T HFI 2      | 2 X 54 W | LFL T5       | 6           | 2,675.00 |





#### SIDE MOUNTING INTEGRAL HID WELL GLASS

White powder coated PDC Aluminium body with Heat Resistant Well Glass covered with wire guard fixed with the housing.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE   | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|-----------|--------------|-------------|----------|
| PID0901006   | PCSWGI 150 SV/MH      | 1 x 150 W | HPSV / MH    | 8           | 2,625.00 |





#### INTEGRAL HID WELL GLASS

White powder coated PDC Aluminium body with Heat Resistant Well Glass covered with wire guard fixed with the housing.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|----------|--------------|-------------|----------|
| PID0901002   | PCWGI 70 SV/MH        | 1 X 70 W | HPSV / MH    | 8           | 1,575.00 |





#### INTEGRAL MEDIUM BAY LUMINAIRE

Heavy Duty Industrial Medium Bay Luminaire with Spun Aluminium reflector and PDC control gear box. Suitable for HID Elliptical / Tubular Lamps. Available in open & enclosed version.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE   | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|-----------|--------------|-------------|----------|
| PID0402002   | PCHMB 150 SV          | 1 x 150 W | HPSV         | 2           | 2,975.00 |
| PID0401002   | PCHMB 150 SV/MH E     | 1 x 150 W | HPSV / MH    | 2           | 3,750.00 |
| PID0402004   | PCHMB 250 SV          | 1 x 250 W | HPSV         | 2           | 3,400.00 |
| PID0401004   | PCHMB 250 SV/MH E     | 1 x 250 W | HPSV / MH    | 2           | 4,175.00 |





#### INTEGRAL HIGH BAY LUMINAIRE

Heavy Duty Industrial High Bay Luminaire with Spun Aluminium reflector and PDC control gear box. Suitable for HID Elliptical/Tubular Lamps. Available in open & enclosed version.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE   | LAMP<br>Type | CASE<br>LOT | MRP        |
|--------------|-----------------------|-----------|--------------|-------------|------------|
| PID0302004   | PCHHB 250 SV          | 1 x 250 W | HPSV         | 2           | 3,400.00   |
| PID0301004   | PCHHB 250 SV/MH E     | 1 x 250 W | HPSV / MH    | 2           | 4,175.00   |
| PID0301008   | PCHHB 250 MMH E       | 1 x 250 W | MMH          | 2           | On Request |
| PID0301010   | PCHHB 400 MMH E       | 1 x 400 W | MMH          | 2           | On Request |



Lighting up your ways





#### LED DECORATIVE STREET LIGHT


Decorative Energy Saving LED Street light with PDC Aluminium Body and Clear Polycarbonate cover. Wide beam distribution. Available CCT 5700K. IP 65.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PUB0502001   | PCGLS 01 15           | 15 W    | 5700 K | 8           | 2,725.00 |
| PUB0502002   | PCGLS 01 20           | 20 W    | 5700 K | 8           | 2,800.00 |
| PUB0502003   | PCGLS 01 25           | 25 W    | 5700 K | 8           | 2,950.00 |
| PUB0502004   | PCGLS 01 30           | 30 W    | 5700 K | 8           | 3,100.00 |



#### LED REGULAR STREET LIGHT

Energy Saving LED Street light with PDC Aluminium Body and Toughened Glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy  $> 90 \, \text{Lm/W}$ . Available CCT 5700K. IP 65.









#### LED HEAVY DUTY STREET LIGHT

Heavy duty Energy Saving LED Street light with PDC Aluminium Body and Toughened Glass visor fitted in frame. Secondary optical lens for superior light distribution. Efficacy  $> 90\,\text{Lm/W}$ . Available CCT 5700K. IP 65.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP       |
|--------------|-----------------------|---------|--------|-------------|-----------|
| PUB0501012   | PCGLS 72              | 72 W    | 5700 K | 1           | 9,875.00  |
| PUB0501005   | PCGLS 90              | 90 W    | 5700 K | 1           | 14,000.00 |
| PUB0501013   | PCGLS 120             | 120 W   | 5700 K | 1           | 15,825.00 |



#### RETROFIT CFL STREET LIGHT

Single piece deep drawn Aluminium sheet streetlight suitable for 65W/85W retrofit CFL. IP54.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|--------------|-------------|--------|
| PUB0101001   | PCDSL 65 RF           | 65 W    | CFLi         | 6           | 600.00 |
| PUB0101002   | PCDSL 85 RF           | 85 W    | CFLi         | 6           | 600.00 |





#### **T5 SLIM STREET LIGHT**

Single piece deep drawn Aluminium sheet streetlight suitable for Single/Twin T5 lamps. Pre-wired with HF electronic ballast. IP 54.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|----------|--------------|-------------|----------|
| PUB0301001   | PCDSL 114 T HFC       | 1 X 14 W | LFL T5       | 4           | 1,200.00 |
| PUB0301002   | PCDSL 124 T HFC       | 1 X 24 W | LFL T5       | 4           | 1,200.00 |
| PUB0301003   | PCDSL 214 T HFC 2     | 2 X 14 W | LFL T5       | 4           | 1,600.00 |
| PUB0301004   | PCDSL 224 T HFC 2     | 2 X 24 W | LFL T5       | 4           | 1,600.00 |



Single piece deep drawn Aluminium sheet streetlight suitable for multiple T5/PL lamps. Pre-wired with HF electronic ballast, IP 54.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP        |
|--------------|-----------------------|----------|--------------|-------------|------------|
| PUB0301011   | PCDSL 414 T 2 HFC 4   | 4 X 14 W | LFL T5       | 1           | 3,125.00   |
| PUB0301012   | PCDSL 424 T 2 HFC 4   | 4 X 24 W | LFL T5       | 1           | 3,150.00   |
| PUB0201002   | PCDSL 336 C 2 HFC 3   | 3 X 36 W | PLL          | 1           | On Request |





#### SINGLE PIECE SHEET ALUMINIUM CFL LUMINAIRE

Single piece deep drawn Aluminium sheet streetlight suitable for Single/Twin PL lamps. Pre-wired with HF electronic ballast. IP 54.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|----------|--------------|-------------|----------|
| PUB0201001   | PCDSL 136 C HFC       | 1 X 36 W | PLL          | 6           | 950.00   |
| PUB0201004   | PCDSL 236 C HFC 2     | 2 X 36 W | PLL          | 6           | 1,400.00 |



#### T8 / T12 STREET LIGHT

Single piece deep drawn Aluminium sheet streetlight suitable for Single T8/T12 Lamps. Pre-wired with HF electronic ballast. IP 43.

| PRODUCT CODE | CATEGORY<br>Reference | WATTAGE     | LAMP<br>Type | CASE<br>LOT | MRP      |
|--------------|-----------------------|-------------|--------------|-------------|----------|
| PUB0301009   | PCDSL 136 /140 F HFC  | 1 X 36/40 W | LFL T8/T12   | 6           | 1,275.00 |





#### **FULL GLASS HID STREETLIGHT**

Heavy duty HID Streetlight with PDC Aluminium body, toughened full glass cover and POT reflector for excellent light distribution. Suitable for secondary roads / highway applications. IP65.


| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE   | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|-----------|--------------|-------------|----------|
| PUB0401002   | PCCSPO 70 SV/MH T FG  | 1 X 70 W  | HPSV / MH    | 2           | 2,050.00 |
| PUB0401004   | PCCSPO 150 SV/MH T FG | 1 X 150 W | HPSV / MH    | 2           | 2,900.00 |
| PUB0401006   | PCCSPO 250 SV/MH T FG | 1 X 250 W | HPSV / MH    | 2           | 3,525.00 |



#### **DECORATIVE HID STREET LIGHT**

Top openable HID Streetlight with PDC Aluminium body, toughened glass cover and POT reflector. Single toggle. Suitable for highway applications. IP66.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE   | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|-----------|--------------|-------------|----------|
| PUB0301016   | PCCSAS 250 SV/MH      | 1 X 250 W | HPSV / MH    | 1           | 9,700.00 |



# Arenia Let's play



# Gardenia

Feel refreshed in a new light



#### Gardenia



#### **LED BOLLARD**

Powder coated PDC Aluminium body with opal diffuser. Suitable for landscape lighting. Available CCT 3000K. IP 54.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PGR0201001   | PCGLB 01 06           | 6 W     | 3000 K | 2           | 5,675.00 |



# politicas

#### LED BOLLARD

Powder coated PDC Aluminium body with opal diffuser. Suitable for landscape lighting. Available CCT 3000K. IP 54.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PGR0201002   | PCGLB 02 06           | 6 W     | 3000 K | 2           | 6,425.00 |

#### **LED BOLLARD**

Powder coated PDC Aluminium body with opal diffuser. Suitable for landscape lighting. Available CCT 3000K. IP 54.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PGR0201003   | PCGLB 03 06           | 6 W     | 3000 K | 2           | 5,950.00 |





#### Gardenia



#### LED BOLLARD

Powder coated PDC Aluminium body with opal diffuser. Suitable for landscape lighting. Available CCT 3000K. IP 54.


| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PGR0201004   | PCGLB 04 06           | 6 W     | 3000 K | 2           | 5,950.00 |



#### LED WALL LIGHT

Powder coated PDC Aluminium body with opal diffuser. Suitable for wall lighting. Available CCT 3000K, IP 54.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| PGR0202001   | PCGLW 04 06           | 6 W     | 3000 K | 2           | 4,250.00 |





## Lamps



### **AELIUS LX LED LAMPS**

Self ballasted LED Retrofit Lamps with PBT body shell and PC diffuser.  $240^{\rm o}$  wide distribution. Available CCT  $3000\,\rm K\,\&\,6500\,K.$ 

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|--------|-------------|--------|
| LLP0101021   | PCGLL LX 3 BC 65      | 3 W     | 6500 K | 50          | 349.00 |
| LLP0101025   | PCGLL LX 5 BC 65      | 5 W     | 6500 K | 25          | 449.00 |
| LLP0101029   | PCGLL LX 7 BC 65      | 7 W     | 6500 K | 25          | 575.00 |
| LLP0101051   | PCGLL LXD 9 BC 65     | 9 W     | 6500 K | 25          | 475.00 |
| LLP0101055   | PCGLL LXD 12 BC 65    | 12 W    | 6500 K | 25          | 600.00 |



### **AELIUS LED DECO LAMP**



Self ballasted decorative LED Lamps with unbreakable PC body. Available in 5 colour options.

|   | PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP   |
|---|--------------|-----------------------|---------|--------|-------------|-------|
|   | LLP0102001   | PCGLD 0.5 W           | 0.5 W   | WHITE  | 48          | 99.00 |
|   | LLP0102002   | PCGLD 0.5 R           | 0.5 W   | RED    | 48          | 99.00 |
| l | LLP0102003   | PCGLD 0.5 Y           | 0.5 W   | YELLOW | 48          | 99.00 |
|   | LLP0102004   | PCGLD 0.5 B           | 0.5 W   | BLUE   | 48          | 99.00 |
|   | LLP0102005   | PCGLD 0.5 G           | 0.5 W   | GREEN  | 48          | 99.00 |

### **AELIUS LED TUBE**

Self ballasted LED Retrofit Tube Lamps with Thermoplastic body.  $270^{\rm o}$  wide distribution. Available CCT  $4000\,\rm K\,\&\,6500\,K.$ 

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | ССТ    | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------|-------------|----------|
| LTU0101003   | PCGLT 9 65            | 9 W     | 6500 K | 20          | 900.00   |
| LTU0101004   | PCGLT 18 65           | 18 W    | 6500 K | 20          | 1,200.00 |
| LTU0101005   | PCGLT HL 20 65        | 20 W    | 6500 K | 20          | 1,200.00 |





## Lamps



## HALOGEN LAMPS

Linear Halogen Lamps.

| PRODUCT CODE | CATEGORY<br>Reference | WATTAGE | CASE<br>LOT | MRP   |
|--------------|-----------------------|---------|-------------|-------|
| PLP0101001   | HALOGEN 500           | 500 W   | 50          | 79.00 |
| PLP0101002   | HALOGEN 1000          | 1000 W  | 50          | 89.00 |



## HIGH PRESSURE SODIUM VAPOUR ELLIPTICAL LAMPS

HPSV Elliptical Lamps.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|-------------|--------|
| PLP0102001   | HPSV 70 E             | 70 W    | 12          | 375.00 |
| PLP0102002   | HPSV 150 E            | 150 W   | 12          | 500.00 |
| PLP0102003   | HPSV 250 E            | 250 W   | 12          | 550.00 |
| PLP0102004   | HPSV 400 E            | 400 W   | 6           | 675.00 |
|              |                       |         |             |        |

## HIGH PRESSURE SODIUM VAPOUR TUBULAR LAMPS

HPSV Tubular Lamps.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|-------------|--------|
| PLP0102005   | HPSV 70 T             | 70 W    | 12          | 435.00 |
| PLP0102006   | HPSV 150 T            | 150 W   | 12          | 535.00 |
| PLP0102007   | HPSV 250 T            | 250 W   | 12          | 580.00 |
| PLP0102008   | HPSV 400 T            | 400 W   | 12          | 675.00 |





## Lamps



## METAL HALIDE DE LAMPS

Double Ended MH Lamps.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|-------------|--------|
| PLP0103001   | MH DE 70              | 70 W    | 25          | 550.00 |
| PLP0103002   | MH DE 150             | 150 W   | 25          | 600.00 |



## METAL HALIDE ELLIPTICAL LAMPS

MH Elliptical Lamps.



| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|-------------|----------|
| PLP0104001   | MH 70 E               | 70 W    | 12          | 850.00   |
| PLP0104002   | MH 150 E              | 150 W   | 12          | 900.00   |
| PLP0104003   | MH 150 E E27          | 150 W   | 12          | 1,100.00 |
| PLP0104004   | MH 250 E              | 250 W   | 12          | 1,100.00 |
| PLP0104005   | MH 400 E              | 400 W   | 6           | 1,250.00 |
|              |                       |         |             |          |

### **METAL HALIDE TUBULAR LAMPS**

MH Tubular Lamps.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|-------------|----------|
| PLP0104006   | MH 70 T               | 70 W    | 12          | 875.00   |
| PLP0104007   | MH 150 T              | 150 W   | 12          | 900.00   |
| PLP0104008   | MH 250 T              | 250 W   | 12          | 950.00   |
| PLP0104009   | MH 400 T              | 400     | 12          | 1,100.00 |















The perfect compliment





### **DESTELLO ELECTRONIC CONTROL GEAR**

Full Plastic Body high PF (>0.9) HF Electronic Ballast for Single T8/T12 Lamp. Suitable for domestic applications.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE   | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|-----------|--------------|-------------|--------|
| LAC0101001   | DESTELLO LFL ECG      | 36 / 40 W | LFL T8/T12   | 50          | 200.00 |



### DESTELLO COMMERCIAL ELECTRONIC CONTROL GEAR

Commercial HF Electronic ballast with high  ${\sf PF} > 0.90$ . Suitable for commercial applications.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE       | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------------|--------------|-------------|--------|
| PAC0301002   | PCBE 118/120 F HFC    | 18 / 20 W     | LFL T8/T12   | 24          | 275.00 |
| PAC0301003   | PCBE 136/140 F HFC    | 36 / 40 W     | LFL T8/T12   | 24          | 225.00 |
| PAC0301004   | PCBE 236/240 F HFC    | 2 X 36 / 40 W | LFL T8/T12   | 24          | 425.00 |
| PAC0301005   | PCBE 128 T HFC        | 28 W          | LFL T5       | 24          | 275.00 |
| PAC0301006   | PCBE 228 T HFC        | 2 X 28 W      | LFL T5       | 24          | 425.00 |
| PAC0301007   | PCBE 224 T HFC        | 2 X 24 W      | LFL T5       | 24          | 425.00 |





## DESTELLO HIGH PERFORMANCE ECG

High Performance HF Electronic ballast with high PF > 0.90. Suitable for Heavy Duty applications.



| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|----------|--------------|-------------|--------|
| PAC0302001   | PCBE 414 T HFP        | 4 X 14 W | LFL T5       | 24          | 800.00 |

### DESTELLO PL ECG

Full Plastic Body high PF > 0.90 HF Electronic Ballast for PL Lamp. Suitable for domestic applications.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE  | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|----------|--------------|-------------|--------|
| LAC0101004   | DESTELLO PL ECG       | 9 - 13 W | PL           | 50          | 150.00 |
| LAC0101005   | DESTELLO PL ECG       | 18 W     | PL           | 50          | 150.00 |

### **CONTROL PACK**

Control Pack for MH/CDMT Lamps with Ballast, Ignitor & Capacitor.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | LAMP<br>TYPE | CASE<br>LOT | MRP      |
|--------------|-----------------------|---------|--------------|-------------|----------|
| PAC0201001   | PCCP 70 MH DE         | 70 W    | MH DE        | 12          | 825.00   |
| PAC0201002   | PCCP 150 MH DE        | 150 W   | MH DE        | 12          | 1,150.00 |







## HID BALLAST

Open Construction Ballast for HID Lamps.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | LAMP<br>TYPE | CASE<br>LOT | MRP        |
|--------------|-----------------------|---------|--------------|-------------|------------|
| PAC0501001   | PCBM 70 SV/MH         | 70 W    | HPSV / MH    | 10          | 575.00     |
| PAC0501002   | PCBM 150 SV/MH        | 150 W   | HPSV / MH    | 8           | 875.00     |
| PAC0501003   | PCBM 250 SV/MH        | 250 W   | HPSV / MH    | 4           | 1,250.00   |
| PAC0501004   | PCBM 400 SV/MH        | 400 W   | HPSV / MH    | 4           | 1,750.00   |
| PAC0501005   | PCBM 250 MMH          | 250 W   | MMH          | 4           | On Request |
| PAC0501006   | PCBM 400 MMH          | 400 W   | MMH          | 4           | On Request |



## IGNITORS

Ignitors for HID Lamps.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE    | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|------------|--------------|-------------|--------|
| PAC0601001   | PCIGN -I              | 70 - 400 W | HID          | 50          | 75.00  |
| PAC0601002   | PCIGN - NI            | 70 - 400 W | HID          | 50          | 100.00 |
| PAC0601003   | PCIGN - SI            | 70 - 400 W | HID          | 50          | 225.00 |

## CAPACITORS

For Power Factor Improvement.

| PRODUCT CODE | CATEGORY<br>REFERENCE | WATTAGE | LAMP<br>TYPE | CASE<br>LOT | MRP    |
|--------------|-----------------------|---------|--------------|-------------|--------|
| PAC0101001   | PCAP 4 MFD            | 4 MFD   | HID          | 50          | 25.00  |
| PAC0101002   | PCAP 8 MFD            | 8 MFD   | HID          | 50          | 50.00  |
| PAC0101003   | PCAP 10 MFD           | 10 MFD  | HID          | 50          | 50.00  |
| PAC0101004   | PCAP 12 MFD           | 12 MFD  | HID          | 50          | 75.00  |
| PAC0101005   | PCAP 15 MFD           | 15 MFD  | HID          | 50          | 75.00  |
| PAC0101006   | PCAP 20 MFD           | 20 MFD  | HID          | 50          | 75.00  |
| PAC0101007   | PCAP 33 MFD           | 33 MFD  | HID          | 50          | 125.00 |
| PAC0101008   | PCAP 42 MFD           | 42 MFD  | HID          | 50          | 150.00 |



## Ingress Protection Classification Degree of protection indicated by the first characteristic numeral (Protection against solids)

|   | Description   | Short Definition  |        |
|---|---|---|--------|
| 0 | Non-protected                                       | No special protection.  |        |
| 1 | Protected against solid objects greater than 50mm   | A large surface of the body, such as hand (but no protection against deliberate access). Solid objects exceeding 50 mm diameter.                    | 50 mm  |
| 2 | Protected against solid objects greater than 12 mm  | Finger or similar objects not exceeding<br>80 mm in length. Solid objects exceeding<br>12 mm in diameter.   | 12 mm  |
| 3 | Protected against solid objects greater than 2.5 mm | Tools, wires etc of diameters or thickness greater than 2.5 mm. solid objects exceeding 2.5 mm in diameter.   | 2.5 mm |
| 4 | Protected against solid objects greater than 1.0 mm | Wires or strips of thickness greater than 1.0 mm. Solid objects exceeding 1.0 mm in diameter.   | 1.0 mm |
| 5 | Dust protected                                      | Ingress of dust is not totally prevented. But dust does not enter in sufficient Quantity to interfere with satisfactory operation of the equipment. |        |
| 6 | Dust Tight  | No ingress of dust.   |        |

## Ingress Protection Classification Degree of protection indicated by the second characteristic numeral (Protection against liquids)

| Des   | cription                                       | Short Definition  |             |
|-------|--|---|-------------|
| 0 Non | -protected                                     | No special protection.  |             |
|       | ected against<br>ping water                    | Dripping water (vertically falling drops) shall have no harmful effect.   |             |
|       | ected against dripping<br>when tilted up to 15 | Vertically falling drops shall have no harmful effect when the object is tilted to any angle up to 15 from its normal position.                   | 15°         |
|       | ected against<br>shing water                   | Water falling as a spray at angle up to 60 from the direction shall have no harmful effect.   |             |
|       | ected against<br>shing water                   | Water splashed against the enclosure from any direction shall have no harmful effect.   |             |
|       | ected against<br>er jets                       | Water protected by a nozzle against the enclosure from any direction shall have no harmful effect.  |             |
|       | ected against<br>vy water jets                 | Water projected in heavy jets shall not enter the enclosure in harmful quantities.  |             |
|       | ected against the effect<br>nmersion           | Ingress of water in harmful quantity shall not be possible when the enclosure is immersed in water under defined conditions of pressure and time. | 0.15m-1m ↓  |
|       | ection against<br>mersion                      | The equipment is suitable for continuous submersion in water under conditions which shall be specified by the manufacturer.                       | +1m<br>+ 1m |

**Note:** Normally this will mean that the equipment is hermetically sealed. However with certain types equipment it can mean that water can enter but only in such a manner that its products no harmful effects.

## **TERMS & CONDITIONS**

- The prices are inclusive of excise duty, wherever applicable, at the prevalent rates but exclusive of taxes, octroi and other local levies, if any.
- Maximum Retail Price (MRP) wherever mentioned is inclusive of excise duty and sales tax as per the prevailing rates.
- All prices of luminaries are without lamps / tubes, unless specified.
- Please contact authorized Polycab representative for prices marked as "On Request".
- Prices are subject to change without notice as per company's discretion.
- Polycab reserves the right to make changes in the design and data without any prior notice.
- Disputes if any, will be subject to Mumbai jurisdiction only.
- All Prices indicated are Unit Prices and in INR (Rupees).

## Note

## Note

| <br> |
|------|
|      |
|      |
|      |

## Note

### Polycab Regional Offices

#### NORTH

#### CHANDIGARH

SCO-10-11-12, SEC 17 B, Chandigarh - 160017.

#### LUCKNOW

Shalimar Square, Office No-09, 126/31, B N Road, Lalbagh, Hazratganj, Lucknow - 226001.

• Tel: 0522-4009777.

· Email: pwpl.lknw@polycab.com

#### NOIDA

Ground Floor, C-106, Sector 2, Noida - 201301.

Tel: 0120 4848550

• Email : pwplnoida@polycab.com

#### UTTARAKHAND

109, Tagore Villa, Near P.N.B., Dehradun - 248001.

· Tel: 0135 3243076.

#### .IAIPIIR

B-44 & B-45, Industrial Area, Sudarshanpura Extn., Bais Godam, Jaipur - 302019.

• Tel: 0141 4041391.

· Email: pwpljaipur@polycab.com

#### **EAST**

### **GUWAHATI**

3<sup>rd</sup> Floor, Purbi Complex, Near Panbazar Flyover, A. T. Road, Guwahati - 781001.

• Email: pwplguwahati@polycab.com

#### KOLKATA

18, Rabindra Sarani, Poddar Court, Gate No. 3, 5th Floor, Kolkata - 700001.

Tel: 033 32929602-3.

• Email : pwplkolkata@polycab.com

#### ORISSA

A/2, RCC Building, Ground Floor, Saheed Nagar, Bhubaneswar, Orissa - 751007.

• Tel: 0674 2549960.

• Email: pwplbhubaneswar@polycab.com

#### PATNA

D-302, Dumraon Palace, 3<sup>rd</sup> Floor, Fraser Road, Near Dakbangla Crossing, Patna - 800001.

• Email: pwplpatna@polycab.com

#### RANCHI

Room No. 4A, 4<sup>th</sup> Floor, Poornima Tower, Lake Road, Vishnu Talkies Lane, Ranchi - 834001.

· Email: pwplranchi@polycab.com

#### WEST

#### AHMEDABAD

102-1<sup>st</sup> Floor, Hrishikesh, Opp. Gulbai Tekra water tank, Nr. IDBI Bank Cross Road, Ahmedabad - 380006.

• Tel: 079 26851119. • Email: gujarat@polycab.com

#### INDORE

B-12, New Siyaganj, Patthar Godam Road, Indore - 452003.

• Tel: 0731 4033357.

• Email: pwplindore@polycab.com

#### PHNE

Off No. 36, Sangam Project Phase 2, Near RTO Pune, Near Sangam Bridge, Pune.

• Tel: 020 26058277 / 30209678 / 60505554.

• Email : pune@polycab.com

#### **RAIPUR**

506, 5<sup>th</sup> Floor, Wallfort OZONE, Near Fafadih Chowk, Raipur (C.G.) 492001.

• Tel: 0771 2582925

#### SOUTH

#### **BENGALURU**

B-78, No.18, 4<sup>th</sup> Main Road, KSSIDC Industrial Estate, 6<sup>th</sup> Block, Rajajinagar, Bangalore - 560010.

• Tel : 080 23156747 / 23156748 23102172 / 23108354.

• Email : karnataka@polycab.com

#### CHENNAI

New No. 8/6, Old No. 5, Josmans Building,  $4^{\rm th}$  Floor, MC Nichols Road, Chetpet, Chennai - 600 031.

• Tel: 044 42022775/ 28152725.

• Email : chennai@polycab.com

#### KOCHI

34/138 C, NH By-Pass Road, Edappally, Kochi - 682024.

• Tel: 0484 2803285.

Email : pwplkerala@polycab.com

kerala@polycab.com

#### **SECUNDERABAD**

208-209, 2<sup>nd</sup> Floor, Bhuvana Towers, S.D. Road, Secunderabad - 500 003.

• Tel: 040 66326228.

• Email : andhra@polycab.com pwplsecunderabad@polycab.com



## **Corporate Office:**

Polycab Wires Pvt. Ltd.

Polycab House, 771, Mogul Lane, Mahim (W),

Mumbai 400 016.

Customer Care No.: 1800 - 267 - 0008

E-mail: lightingenquiries@polycab.com

Follow us on:



📘 twitter.com/PolycabIndia

in www.linkedin.com/company/Polycab www.polycab.com