

RRKL/MRP-EW-1/09/13

w.e.f. 1<sup>st</sup> SEPTEMBER, 2013

**MRP**

RR Kabel make Single Core unsheathed flexible bright Electrolytic annealed multistrand bare copper conductor, PVC Insulated Cables for working voltages upto and including 1100 Volts, as per IS 694 : 1990			
<b>SUPEREX-FR: FR PVC Insulated Singlecore Electric Cables</b>			
Size (Sq.mm.)	Configuration	Rate/90 mtr	No. of Coils packed in an Outer Box
0.75	24/0.2	1010	24
1.00	14/0.3	1260	20
1.50	22/0.3	1900	12
2.50	36/0.3	3060	12
4.00	56/0.3	4500	8
6.00	84/0.3	6700	4
10.00	140/0.3	11610	3
16.00	126/0.4	18800	2
<b>RR UNILAY-FR: FR PVC Insulated Singlecore Electric Cables</b>			
Size (Sq.mm.)	Configuration	Rate/90 mtr	No. of Coils packed in an Outer Box
1.00	19/0.26	1330	20
1.50	19/0.32	2000	12
2.50	37/0.29	3290	12
4.00	37/0.37	5170	8
<b>FLAMEX-FRLSH: FRLSH PVC Insulated Singlecore Electric Cables</b>			
Size (Sq.mm.)	Configuration	Rate/90 mtr	No. of Coils packed in an Outer Box
1.00	14/0.3	1350	20
1.50	22/0.3	1930	12
2.50	36/0.3	3160	12
4.00	56/0.3	4700	8
6.00	84/0.3	6800	4

- Excise Duty** : Inclusive @ 12.36% (at present Ex. Duty @ 12% & Edu./S&H Cess @ 3% on Ex. Duty)  
**CST** : Exempted against 'C' form (Supply from Silvassa Unit), or Extra as applicable.  
**Octroi/LBT** : Extra, will be paid by buyer.  
**Packing** : Order should be in Standard box packing.  
**Freight** : Value upto Rs.1,00,000/- on 'TO-PAY' basis,  
 : Value above Rs.1,00,000/- on 'PAID' basis

**Note: This is Revised Price List, hence all previous Price List & Discount will not be considered.**

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**WIRE NAHIN, BHARAT KI NUBZ HAIN HUM.**

"Shri"



**RR✓KABEL**

**RRKL/MRP-EW-S/09/13**

**w.e.f. 1<sup>st</sup> SEPTEMBER, 2013**

**MRP**

**Single Core unsheathed bright Electrolytic annealed bare copper conductor, PVC Insulated Cables.**

SIZE IN SQ.MM.	NANO PACK	
	SUPEREX	RR-UNILAY
	45 Mtr.	45 Mtr.
0.75	520	-
1.00	650	680
1.50	970	1020
2.50	1560	1680
4.00	2300	2640
6.00	3420	-
10.00	5920	-
16.00	9590	-

**Excise Duty** : Inclusive @ 12.36% (at present Ex.Duty @ 12% & Edu./S&H Cess @ 3% on Ex.Duty)

**CST** : Exempted against 'C' form (Supply from Silvassa Unit), or Extra as applicable.

**Octroi/LBT** : Extra, will be paid by buyer.

**Freight** : Value upto Rs.1,00,000/- on 'TO-PAY' basis

: Value above Rs.1,00,000/- on 'PAID' basis

**\* Order acceptance will be subject to availability of the materials.**

**Note: This is Revised Price List, hence all previous Price List & Discount will not be considered.**

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**WIRE NAHIN, BHARAT KI NUBZ HAIN HUM.**

RRKL/MRP-EW-2/09/13

w.e.f. 1<sup>st</sup> SEPTEMBER, 2013

**MRP**

<b>FIREX HFFR:</b> RR Kabel make Single Core unsheathed flexible bright Electrolytic annealed multistrand bare copper conductor <b>Halogen Free Flame Retardant Insulated Cables (with Unilay conductor in Sizes 1.0 to 4.0 Sq.mm.)</b> in Voltage grade upto and including 1100 Volts.			
Size (Sq.mm.)	Configuration	Rate per Coil of 90 mtr	No. of Coils packed in an Outer Box
1.00	19/0.26	1570	20
1.50	19/0.32	2310	12
2.50	37/0.29	3760	12
4.00	37/0.37	5860	8
6.00	84/0.3	7800	4

\* HFFR - Conductor Conforming to IEC 60228 & Insulation as IEC 60332-1&3.

<b>RATNA CO-X:</b> RR Kabel make Electrolytic grade solid annealed bare copper conductor gas injected physical polyethylene foam insulated, wrapped with Aluminium Mylar tape and Al alloy wire braided, Jelly flooded and PVC Jacketing in Black Colour, Co-Axial Cables.			
RG 6		RG 11	
100 Mtr.	305 Mtr.	100 Mtr.	305 Mtr.
2890	8680	7060	21190

<b>RATNA LAN :</b> RR Kabel make Solid bare copper conductor 4 Pair unshielded twisted pair (UTP) cables for Computer Lan Network with Grey colour & FR PVC Jacket.			
CAT 5e		CAT 6	
100 Mtr.	305 Mtr.	100 Mtr.	305 Mtr.
3060	9170	3860	11580

<b>RATNACOM:</b> RR Kabel make Solid Electrolytic annealed bare copper conductor (0.5 mm) Switchboard & Telephone Cables with high density polyethylene insulation, paired, polyester taped, Nylon Rip Cord and Grey colour sheathed with FR PVC, generally conform to "ITD specification S/WS 113 C"						
1 PAIR	2 PAIR	3 PAIR	4 PAIR	5 PAIR	10 PAIR	20 PAIR
810	1460	2140	2820	3490	7010	13670

- Excise Duty** : Inclusive @ 12.36% (at present Ex.Duty @ 12% & Edu./S&H Cess @ 3% on Ex.Duty)  
**CST** : Exempted against 'C' form (Supply from Silvassa Unit), or Extra as applicable.  
**Octroi/LBT** : Extra, will be paid by buyer.  
**Packing** : Order should be in Standard box packing.  
**Freight** : Value upto Rs.1,00,000/- on 'TO-PAY' basis,  
 : Value above Rs.1,00,000/- on 'PAID' basis

**Note: This is Revised Price List, hence all previous Price List & Discount will not be considered.**

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**WIRE NAHIN, BHARAT KI NUBZ HAIN HUM.**

RRKL/RS-RM/MRP/09/13

w.e.f. 1<sup>st</sup> SEPTEMBER, 2013

**MRP**

**RATNAFLEX - SINGLE / MULTICORE CABLES**

**PVC Insulated unsheathed Single Core & PVC round sheathed Multicore bright Electrolytic annealed bare copper conductor Flexible Power Cables for working voltages upto and including 1100 Volts, as per IS 694 : 1990**

SIZE SQ. MM	CONFIG.	AMPS	(Rate per 100 meter)			
			SINGLE CORE	2 CORE	3 CORE	4 CORE
0.50	16/0.2	5	780	2326	3090	3901
0.75	24/0.2	8	1100	3108	4176	5379
1.00	32/0.2	13	1390	3598	4954	6413
1.50	30/0.25	17	1960	5059	7020	9218
2.50	50/0.25	24	3220	7921	11125	14527
4.00	56/0.3	30	4940	12092	17210	22482
6.00	84/0.3	38	7450	17701	25308	33358
10.0	140/0.3	52	12790	31033	44426	58612
16.0	126/0.4	70	20640	49052	70693	93446
25.0	196/0.4	88	33030	75517	109490	144727
35.0	276/0.4	112	46240	-	152340	201537
50.0	396/0.4	146	64660	-	212161	279933
70.0	360/0.5	216	93750	-	-	-
95.0	480/0.5	262	124610	-	-	-
120.0	608/0.5	310	157500	-	-	-
150.0	750/0.5	355	195030	-	-	-
185.0	931/0.5	415	239720	-	-	-
240.0	1200/0.5	500	310860	-	-	-
300.0	1500/0.5	550	388140	-	-	-
400.0	2013/0.5	590	533300	-	-	-
500.0	2562/0.5	660	678110	-	-	-
630.0	3416/0.5	725	901760	-	-	-

**PVC Insulated & PVC round sheathed Multicore bright Electrolytic annealed bare copper conductor Flexible Control Cables**

SIZE SQ. MM	CONFIG.	AMPS	(Rate per 100 meter)									
			5 CORE *	6 CORE *	7 CORE *	8 CORE *	10 CORE *	12 CORE *	14 CORE *	16 CORE *	19 CORE *	24 CORE *
0.50	16/0.2	5	4905	5934	6609	7623	9737	11326	13247	15003	17529	22659
0.75	24/0.2	8	6799	8336	9347	10674	13705	15988	18560	21169	26825	31971
1.00	32/0.2	13	8349	10179	11477	13148	17386	20420	23690	27076	33382	41086
1.50	30/0.25	17	11736	14273	16172	18601	24468	28861	33604	38226	45229	57952
2.50	50/0.25	24	19165	23235	26398	30275	40060	47178	54816	62630	73807	94445
4.00	56/0.3	30	29332	34870	40287	47444	59872	70923	82601	94143	111216	142094
6.00	84/0.3	38	43739	52154	60174	69640	90711	107524	124639	141960	167516	213736
10.00	140/0.3	52	74684	-	-	-	-	-	-	-	-	-
16.00	126/0.4	70	119995	-	-	-	-	-	-	-	-	-

**Excise Duty** : Inclusive @ 12.36% (at present Ex.Duty @ 12% & Edu./S&H Cess @ 3% on Ex.Duty)

**CST** : 1. Supply from Silvassa Unit - Exempted against 'C' form, or Extra as applicable.  
 : 2. Supply from Waghodia Unit - 2% Extra against 'C' form, or Extra as applicable.

**Octroi/LBT** : Extra, will be paid by buyer.

**Packing** : Order should be in Standard packing.

**Freight** : Value upto Rs.1,00,000/- on 'TO-PAY' basis & above on 'PAID' basis

As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guidelines and are as per market convention, It may vary within the prescribed limit of IS:8130-1994, with related classes and tables

**Loading factor for Different Insulation**

FR Insulation :	3%
FRLSH / HR Insulation :	10%
HFFR Insulation :	25%

The item marked \* are non stock items, refer to marketing dept. for delivery schedule, MOQ, packing etc.

**Note: This is Revised Price List, hence all previous Price List & Discount will not be considered.**

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**WIRE NAHIN, BHARAT KI NUBZ HAIN HUM.**



"Shri"

**RR✓KÄBEL**

**RRKL/RRSHRAMIK/MRP/09/13**

**w.e.f. 1<sup>st</sup> SEPTEMBER, 2013**

**MRP**

**SUBMERSIBLE FLAT CABLES**

**RR KABEL SHRAMIK : RR Kabel make 3 Core PVC Insulated and sheathed Flat cables for SUBMERSIBLE Motor, working voltages upto and including 1100 Volts, as per IS 694 : 1990**

SIZE IN SQ.MM.	CONFIGURATION	RATE PER 100 MTR.
1.50	22/0.3	7642
2.50	36/0.3	12115
4.00	56/0.3	17846
6.00	84/0.3	25820
10.00	140/0.3	43872
16.00	126/0.4	69567
25.00	196/0.4	105351

- Excise Duty** : Inclusive @ 12.36% (at present Ex.Duty @ 12% & Edu./S&H Cess @ 3% on Ex.Duty)  
**CST** : Exempted against 'C' form (Supply from Silvassa Unit), or Extra as applicable.  
**Octroi/LBT** : Extra, will be paid by buyer.  
**Packing** : Order should be in Standard packing.  
**Freight** : Value upto Rs.1,00,000/- on 'TO-PAY' basis & above on 'PAID' basis

As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the price-list are only for guidelines and are as per market convention, It may vary within the prescribed limit of IS:8130-1994,with related classes and tables

**Note: This is Revised Price List, hence all previous Price List & Discount will not be considered.**

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**WIRE NAHIN, BHARAT KI NUBZ HAIN HUM.**

**RRKL/RR-BRDD/MRP/09/13**

**w.e.f. 1<sup>st</sup> SEPTEMBER, 2013**

**MRP**

**BRAIDED CABLES**

Annealed Bare Copper conductor PVC insulated, Polyester taped, overall screen of braiding with Tinned Copper wires, PVC sheathed Instrumentation (Braided) Cables.

(In INR)

Number of CORES	Rate Per 100 Meter				
	Size in Sq.mm.				
	0.50	0.75	1.0	1.5	2.5
1	3902	4219	4764	5631	7521
2	6177	6897	7806	10278	13503
3	6958	8164	9503	13314	18252
4	8667	9920	11561	15185	22284
5	9019	11207	13511	17855	27193
6	10257	12812	15606	20651	-
7	11032	14919	18295	23317	35774
8	12448	15916	19466	26414	-
9	-	-	-	29844	-
10	15810	19650	24090	33152	-
12	17191	22528	28752	44066	60558
14	19702	25710	32640	43954	-
16	22173	28711	36734	49468	-
18	24356	32499	40695	54999	-

No. of CORES	Size in Sq.mm.		
	4.0	6.0	10.0
4C	34679	48868	80413

**Note :**

Size - upto 0.50 to 1.50 x 7C - 3 KM,  
 0.50 x 8C to 4.0 x 4C - 2 KM,  
 0.50 x 22C to 1.00 x 27C - 2 KM,

**Please send your requisition to Technical Cell / HO for Technical Data Sheet before finalizing the orders.**

- Excise Duty** : Inclusive @ 12.36% (at present Ex. Duty @ 12% & Edu./S&H Cess @ 3% on Ex. Duty)
- CST** : Exempted against 'C' form (Supply from Silvassa Unit), or Extra as applicable.
- Octroi/LBT** : Extra, will be paid by buyer.
- Freight** : Value upto Rs.1,00,000/- on 'TO-PAY' basis and above Rs.1,00,000/- on 'PAID' basis

**Note: This is Revised Price List, hence all previous Price List & Discount will not be considered.**

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**WIRE NAHIN, BHARAT KI NUBZ HAIN HUM.**

**RRKL/RR-SHD/MRP/09/13**

**w.e.f. 1<sup>st</sup> SEPTEMBER, 2013**

**MRP**

**SHIELDED CABLES**

**Flexible /Stranded Annealed Bare Copper conductor PVC insulated, overall Aluminium Mylar tape shielded, alongwith ATC drain wires,PVC sheathed Instrumentation (Shielded) Cables as per PAS 5308 (P-2).**

CORES ↓ SIZE →	Rate Per 100 Meter / Size in Sq.mm.					
	0.50	MOQ (KM)	0.75	MOQ (KM)	1.5	MOQ (KM)
2	3655	3	4400	3	6532	3
3	4626	3	5749	3	9044	3
4	5621	3	7122	3	11489	3
5	6820	3	8767	3	14413	3
6	7976	3	10195	3	16957	3
7	8938	3	11671	3	19689	3
8	10321	2	13556	2	23057	2
9	11412	2	-	-	-	-
10	12780	2	16841	2	28536	2
12	14819	2	19685	2	33652	2
14	17378	1	23239	1	40056	1
16	19523	1	26218	1	45403	1
18	21671	1	29202	1	50754	1
20	24723	1	33365	1	59873	1
22	26959	1	36464	1	-	-
25	30241	1	41036	1	-	-
27	32401	1	44053	1	-	-

\* As per PAS 5308 (P-2) - In size 0.50 & 0.75 Sq.mm. the conductor will be flexible & in 1.50 Sq.mm. the conductor will be stranded

**Flexible Annealed Bare Copper conductor PVC insulated, overall Aluminium Mylar tape shielded, alongwith ATC drain wires,PVC sheathed Instrumentation (Shielded) Cables.**

CORES ↓ SIZE →	Rate Per 100 Meter / Size in Sq.mm.					
	1.00	MOQ (KM)	1.50	MOQ (KM)	2.50	MOQ (KM)
2	5068	3	6662	3	9600	3
3	6761	3	9225	3	13618	3
4	8480	3	11719	3	17561	3
5	10535	3	14701	3	22245	3
6	12322	3	17296	3	-	-
7	14156	3	20083	3	30648	3
8	16506	2	23518	2	36000	2
10	20540	2	29107	2	44719	2
12	24124	2	34326	2	53019	2
14	28600	1	40857	1	63342	1
16	32347	1	46311	1	73724	1
18	36097	1	51769	1	82373	1
20	41294	1	61071	1	94132	1
22	45186	1	-	-	-	-
25	50946	1	-	-	-	-
27	54754	1	-	-	-	-

**Note : Please contact to Technical Cell / HO for Technical Data Sheet.**

- Excise Duty** : Inclusive @ 12.36% (at present Ex. Duty @ 12% & Edu./S&H Cess @ 3% on Ex. Duty)  
**CST** : Exempted against 'C' form (Supply from Silvassa Unit), or Extra as applicable.  
**Octroi/LBT** : Extra, will be paid by buyer.  
**Freight** : Value upto Rs.1,00,000/- on 'TO-PAY' basis and above Rs.1,00,000/- on 'PAID' basis

**Note: This is Revised Price List, hence all previous Price List & Discount will not be considered.**

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**WIRE NAHIN, BHARAT KI NUBZ HAIN HUM.**

RRKL/RR-SHDARM/MRP/09/13

w.e.f. 1<sup>st</sup> SEPTEMBER, 2013

**MRP**

**SHIELDED ARMOURED CABLES**

Flexible /Stranded Annealed Bare Copper conductor PVC insulated, overall Aluminium Mylar tape shielded, alongwith ATC drain wires, PVC inner sheathed, GI wire/strips Armoured And overall PVC sheathed Instrumentation (Shielded Armoured) Cables as per PAS 5308 (P-2).

CORES ↓ SIZE →	Rate Per 100 Meter / Size in Sq.mm.					
	0.50	MOQ (KM)	0.75	MOQ (KM)	1.5	MOQ (KM)
2	10470	5	11417	5	14115	5
3	11498	5	12825	5	17378	5
4	13304	5	15171	5	20602	5
5	15216	5	17552	5	24655	5
6	17445	5	19826	5	28023	5
7	18408	5	21323	5	30787	5
8	21022	3	24444	3	35796	3
9	23017	3	-	-	-	-
10	25133	3	29732	3	40226	3
12	27623	3	33021	3	46177	3
14	31062	3	37478	3	53136	3
16	34120	3	37726	3	59421	3
18	35210	3	41660	3	65717	3
20	38154	3	47499	2	76644	2
22	40552	2	50771	2	-	-
25	44851	2	56347	2	-	-
27	47083	2	59442	2	-	-

\* As per PAS 5308 (P-2) - In size 0.50 & 0.75 Sq.mm. the conductor will be flexible & in 1.50 Sq.mm. the conductor will be stranded

Flexible Annealed Bare Copper conductor PVC insulated, overall Aluminium Mylar tape shielded, alongwith ATC drain wires, PVC inner sheathed, GI wire/strips Armoured And overall PVC sheathed Instrumentation (Shielded Armoured) Cables.

CORES ↓ SIZE →	Rate Per 100 Meter / Size in Sq.mm.					
	1.00	MOQ (KM)	1.50	MOQ (KM)	2.50	MOQ (KM)
2	11906	5	14398	5	18328	5
3	13998	5	17726	5	22783	5
4	16668	5	21014	5	27526	5
5	19467	5	25148	5	33731	5
6	22081	5	28583	5	-	-
7	23935	5	31403	5	40680	5
8	27878	3	36512	3	47182	3
10	33876	3	41030	3	58288	3
12	37536	3	47100	3	66702	3
14	39771	3	54199	3	78409	3
16	44445	3	60609	3	89760	3
18	49128	3	67031	3	99387	2
20	55201	2	78177	2	113088	2
22	60084	2	-	-	-	-
25	66831	2	-	-	-	-
27	72458	2	-	-	-	-

**Note : Please contact to Technical Cell / HO for Technical Data Sheet.**

**Excise Duty** : Inclusive @ 12.36% (at present Ex. Duty @ 12% & Edu./S&H Cess @ 3% on Ex. Duty)

**CST** : Exempted against 'C' form (Supply from Silvassa Unit), or Extra as applicable.

**Octroi/LBT** : Extra, will be paid by buyer.

**Freight** : Value upto Rs.1,00,000/- on 'TO-PAY' basis and above Rs.1,00,000/- on 'PAID' basis

**Note: This is Revised Price List, hence all previous Price List & Discount will not be considered.**

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**WIRE NAHIN, BHARAT KI NUBZ HAIN HUM.**





"Shri"

**RR✓KÄBEL**

**RRKL/RR-PSHD/MRP/09/13**

**w.e.f. 1<sup>st</sup> SEPTEMBER, 2013**

**MRP**

**PAIR SHIELDED CABLES**

**Flexible /Stranded Annealed Bare Copper conductor PVC insulated, Twisted Pair, overall shielded with Aluminium Mylar tape alongwith ATC drain wire, PVC sheathed Instrumentation (Shielded) Cables as per PAS 5308 (P-2) (Type-1)**

Number of PAIR	Rate Per 100 Meter					
	Size in Sq.mm.					
	0.50	MOQ (KM)	0.75	MOQ (KM)	1.5	MOQ (KM)
<b>1</b>	3486	10	4302	10	7164	10
<b>2</b>	5506	10	7042	10	12529	10
<b>5</b>	12405	5	16586	5	30479	5
<b>10</b>	23002	5	31247	5	58931	5
<b>15</b>	34546	3	46960	3	90396	3
<b>20</b>	45094	3	62273	3	119319	3
<b>30</b>	66777	2	92356	2	177857	2

**Flexible /Stranded Annealed Bare Copper conductor PVC insulated, Individual Pair shielded with Aluminium Mylar tape, alongwith ATC drain wires, overall shielded with Aluminium Mylar tape alongwith ATC drain wire, PVC sheathed Instrumentation (Shielded) Cables as per PAS 5308 (P-2) (Type-1)**

Number of PAIR	Rate Per 100 Meter					
	Size in Sq.mm.					
	0.50	MOQ (KM)	0.75	MOQ (KM)	1.5	MOQ (KM)
<b>2</b>	7819	5	9306	5	14787	5
<b>5</b>	17705	5	21569	5	35521	5
<b>10</b>	33523	3	41241	3	69211	3
<b>15</b>	51096	3	63074	3	106229	3
<b>20</b>	67048	2	83772	2	140296	2
<b>30</b>	99713	2	125082	2	-	

**Note : The MOQ is given above, please send your requisition to Technical Cell / HO for Technical Data Sheet before finalizing the orders.**

- Excise Duty** : Inclusive @ 12.36% (at present Ex. Duty @ 12% & Edu./S&H Cess @ 3% on Ex. Duty)  
**CST** : Exempted against 'C' form (Supply from Silvassa Unit), or Extra as applicable.  
**Octroi/LBT** : Extra, will be paid by buyer.  
**Freight** : Value upto Rs.1,00,000/- on 'TO-PAY' basis and above Rs.1,00,000/- on 'PAID' basis

**Note: This is Revised Price List, hence all previous Price List & Discount will not be considered.**

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**WIRE NAHIN, BHARAT KI NUBZ HAIN HUM.**



RRKL/RR-PSHDARM/MRP/09/13

w.e.f. 1<sup>st</sup> SEPTEMBER, 2013

**MRP**

**PAIR AND OVERALL SHIELDED ARMoured CABLES**

Flexible /Stranded Annealed Bare Copper conductor PVC insulated, Twisted Pair, overall shielded with Aluminium Mylar tape alongwith ATC drain wire, PVC inner sheathed, GI wire/strips Armoured And overall PVC sheathed Instrumentation (Pair Twisted Shielded Armoured) Cables as per PAS 5308 (P-2) (Type-2)

Number of PAIR	Rate Per 100 Meter					
	Size in Sq.mm.					
	0.50	MOQ (KM)	0.75	MOQ (KM)	1.5	MOQ (KM)
1	8744	5	10038	5	14708	5
2	11534	5	13433	5	19775	5
5	21929	5	29460	5	45210	5
10	39390	3	52619	3	83512	3
15	59318	3	73225	3	121207	3
20	73328	2	92258	2	154521	2
30	101107	2	136583	2	229073	2

Flexible /Stranded Annealed Bare Copper conductor PVC insulated, Individual Pair shielded with Aluminium Mylar tape, alongwith ATC drain wires, overall shielded with Aluminium Mylar tape alongwith ATC drain wire, PVC inner sheathed, GI wire/strips Armoured And overall PVC sheathed Instrumentation (Ind. Pair and overall Shielded Armoured) Cables as per PAS 5308 (P-2) (Type-2)

Number of PAIR	Rate Per 100 Meter					
	Size in Sq.mm.					
	0.50	MOQ (KM)	0.75	MOQ (KM)	1.5	MOQ (KM)
2	14926	5	16583	5	25432	5
5	31424	5	35707	5	55204	5
10	56987	3	65470	3	97049	3
15	80717	3	94116	3	148818	2
20	101564	2	127631	2	-	-
30	152389	2	-	-	-	-

**Note : The MOQ is given above, please send your requisition to Technical Cell / HO for Technical Data Sheet before finalizing the orders.**

- Excise Duty** : Inclusive @ 12.36% (at present Ex. Duty @ 12% & Edu./S&H Cess @ 3% on Ex. Duty)  
**CST** : Exempted against 'C' form (Supply from Silvassa Unit), or Extra as applicable.  
**Octroi/LBT** : Extra, will be paid by buyer.  
**Freight** : Value upto Rs.1,00,000/- on 'TO-PAY' basis and above Rs.1,00,000/- on 'PAID' basis

**Note: This is Revised Price List, hence all previous Price List & Discount will not be considered.**

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**WIRE NAHIN, BHARAT KI NUBZ HAIN HUM.**



RRKL/WELDEX/MRP/09/12

w.e.f. 1<sup>st</sup> SEPTEMBER, 2013

**MRP**

**WELDING CABLES**

"WELDEX" Super flexible Annealed Bare Copper conductor General purpose elastomeric insulated, Welding Cables as per IS : 9857 - 1990

Nominal cross section area (Sq.mm.)	Number X Max. Dia of Strand (mm)	Insulation Thickness (mm)	Maximum Overall Dia (mm)	Conductor Resistance Ohm/Km at 20° C (Max)	Current Rating Amps.	Rate Per 100 Mtr. (Rs.)
16.0	534/0.21	2.00	9.40	1.210	225	26405
25.0	832/0.21	2.00	10.90	0.780	300	40416
35.0	1172/0.21	2.00	12.00	0.554	375	56035
50.0	724/0.31	2.20	14.20	0.386	475	77943
70.0	1014/0.31	2.40	16.40	0.272	600	108646
95.0	1360/0.31	2.60	18.90	0.206	722	145583

Excise Duty : Inclusive @ 12.36% (at present Ex.Duty @ 12% & Edu./S&H Cess @ 3% on Ex.Duty)  
CST : Exempted against 'C' form (Supply from Silvassa Unit), or Extra as applicable.  
Octroi/LBT : Extra, will be paid by buyer.  
Freight : **Value upto Rs.1,00,000/- on 'TO-PAY' basis**  
: **Value above Rs.1,00,000/- on 'PAID' basis**

**Note: This is Revised Price List, hence all previous Price List & Discount will not be considered.**

**THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE**

**RR KABEL LIMITED**

Regd. Office : Ram Ratna House, Oasis Complex, P.B. Marg, Worli, Mumbai - 400 013  
Tel # +91 22 24949009 / 24924144, Fax # +91 22 24912586, e-Mail : rrkabel@ramratna.com  
[www.ramratna.com](http://www.ramratna.com)

**WIRE NAHIN, BHARAT KI NUBZ HAIN HUM.**