

KEI INDUSTRIES LIMITED

AUTHORISED DISTRIBUTER
ANKIT ELECTRICALS PVT LTD.
1809 FIRST FLOOR BHAGIRATH PLACE , 01123869752



PRICE LIST DT. JULY -2013

W.E.F :11/07/2013

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND , XLPE INSULATED , INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC) , AL ROUND WIRE ARMoured , AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	I CORE HT XLPE					
	A2XCEWaY					
	3.3 KV E/UE	6.6 KV (E)	6.6 KV (UE) 11 KV(E)	11 KV (UE)	22 KV (E)	33 KV (E)
35	350.00	362.00	384.00			
50	384.00	396.00	425.00			
70	440.00	452.00	485.00	584.00		
95	497.00	510.00	545.00	681.00	727.00	954.00
120	560.00	574.00	616.00	769.00	808.00	1050.00
150	626.00	642.00	678.00	835.00	880.00	1123.00
185	721.00	738.00	812.00	942.00	992.00	1259.00
240	910.00	929.00	951.00	1096.00	1140.00	1423.00
300	1055.00	1083.00	1086.00	1237.00	1284.00	1669.00
400	1264.00	1313.00	1296.00	1463.00	1520.00	1908.00
500	1535.00	1609.00	1666.00	1815.00	1876.00	2237.00
630	1903.00	1935.00	1988.00	2160.00	2226.00	2622.00
800	2357.00	2378.00	2412.00	2528.00	2600.00	3003.00
1000	2844.00	2854.00	2856.00	2974.00	3052.00	3650.00

EXTRAS FOR SPECIAL CONSTRUCTION:

1) FRLS PVC Inner Sheath	7.5%
2) FRLS PVC Outer Sheath	5%
3) Oxygen Index	3%
4) Extruded Inner Sheath	5%
5) Flat Strip Armoured	-5%

The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra.
This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED



AUTHORISED DISTRIBUTER

ANKIT ELECTRICALS PVT LTD.

1809 FIRST FLOOR BHAGIRATH PLACE, 01123869752



PRICE LIST DT. JULY-2013

W.E.F : 11/07/2013

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Metre)

Cable Size in sq.mm	3 CORE HT XLPE					
	A2XCEFY					
	3.3 KV (E/UE)	6.6 KV (E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
25	618.00					
35	727.00	802.00	882.00			
50	845.00	912.00	999.00		1401.00	
70	1024.00	1101.00	1187.00	1513.00	1620.00	
95	1242.00	1322.00	1418.00	1759.00	1873.00	2445.00
120	1461.00	1544.00	1636.00	1997.00	2118.00	2807.00
150	1650.00	1742.00	1826.00	2206.00	2336.00	3044.00
185	1944.00	2028.00	2125.00	2525.00	2644.00	3396.00
240	2357.00	2455.00	2550.00	2969.00	3098.00	3882.00
300	2784.00	2926.00	2968.00	3417.00	3554.00	4363.00
400	3384.00	3562.00	3578.00	4016.00	4185.00	5051.00
500						
630						
800						

EXTRAS FOR SPECIAL CONSTRUCTION:

1) Extruded PVC Inner Sheath	3%
2) Pressure Extruded PVC Innersheath	13%
3) Round Wire Armouring - Up to 11 KV (E)	25%
11 KV (UE) & Above	27.5%
4) FRLS PVC Inner Sheath	5%
5) FRLS PVC Outer Sheath	5%
6) FR Sheath with Oxygen Index	3%

The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra.
This cancels all our previous Price Lists. This Price List is subject to change without prior notice.



KEI INDUSTRIES LIMITED

AUTHORISED DISTRIBUTER

ANKIT ELECTRICALS PVT LTD.

1809 FIRST FLOOR BHAGIRATH PLACE , 01123869752



PRICE LIST DT. JULY-2013

W.E.F : 11-07-2013

"KEI" BRAND Power Cables,Solid Aluminum conductor up to 10 sqmm balance stranded conductor,XLPE Insulated,cores laid up, PVC tape innersheathed,unarmoured/Armour(Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Glavanised wire for cables upto 2x16 sqmm, 3x10 sqmm,4x10 sqmm balance all galvanised steel strip),extruded PVC Type ST2 sheathed,650/1100V grade as per IS 7098(Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY	A2XWwY A2XFwY	A2XWY A2XFY	A2XWY A2XFY	A2XFY	A2XWY A2XFY
4		69.00	77.00		86.00		111.00	129.00		147.00
6		77.00	93.00		110.00		129.00	151.00		166.00
10		98.00	120.00		144.00		158.00	190.00		215.00
16	55.00	110.00	154.00		192.00	99.00	195.00	210.00		254.00
25	72.00	153.00	214.00	250.00	268.00	120.00	196.00	260.00	300.00	323.00
35	90.00	193.00	274.00	311.00	346.00	145.00	240.00	329.00	370.00	410.00
50	116.00	248.00	355.00	410.00	450.00	176.00	299.00	413.00	477.00	527.00
70	155.00	334.00	492.00	567.00	627.00	223.00	398.00	556.00	639.00	702.00
95	200.00	447.00	625.00	723.00	802.00	252.00	497.00	694.00	805.00	887.00
120	250.00	532.00	773.00	909.00	1009.00	303.00	599.00	849.00	1005.00	1097.00
150	304.00	648.00	957.00	1095.00	1241.00	360.00	728.00	1036.00	1192.00	1337.00
185	375.00	810.00	1190.00	1376.00	1544.00	440.00	894.00	1278.00	1473.00	1639.00
240	470.00	1030.00	1521.00	1756.00	1975.00	540.00	1118.00	1614.00	1862.00	2078.00
300	575.00	1271.00	1871.00	2160.00	2439.00	657.00	1367.00	1962.00	2269.00	2542.00
400	757.00	1630.00	2407.00	2787.00	3148.00	825.00	1739.00	2514.00	2900.00	3252.00
500										
630										
800										
1000										

EXTRAS FOR SPECIAL CONSTRUCTION:

		FRLS Loading Factor				LSZH	
		Cable Size (Sq.mm)	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
a) Round Wire Armouring				Armd.	Unarmd.		
- 2 x 25 & above	25.00%		Power (Al.)				
- 3 x 16 & 3.5CX25 & above	25.00%						
- 4 x 16 & above	25.00%	Upto 16	10.0%	15.0%	15.0%	15%	20%
- For Single core 95 & above	25.00%	25 - 50	7.5%	10.0%	10.0%	12.5%	15%
b) Stranding 10 sq.mm and below	10.00%	70 & above	5.0%	7.5%	7.5%	15%	12.5%
c) Extruded PVC Innersheath Up 50	5.00%	Power Single Core (Al.)					
Extruded PVC Innersheath 70 & Above	2.50%	Upto 16	-N.A-	20.0%	20.0%	25%	25%
d) HR PVC Insulation	2.00%	25 - 70	-N.A-	15.0%	15.0%	20%	20%
e) HR PVC Inner Sheath	2.00%	95 & above	-N.A-	12.5%	12.5%	17.5%	17.5%
f) HR PVC Outer Sheath	2.00%						
g) Oxygen Index (FR)	2.50%						
h) PVC Cables	5.00%						

The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra.
This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Page 03 of 07

KEI WIRES & CABLES



KEI INDUSTRIES LIMITED

AUTHORISED DISTRIBUTER

ANKIT ELECTRICALS PVT LTD.

1809 FIRST FLOOR BHAGIRATH PLACE, 01123869752



PRICE LIST DT. JULY-2013

W.E.F : 11-07-2013

"KEI" BRAND Power/Control Copper Cables, Solid Copper conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, Unarmoured/Armour (Galvanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm, 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Metre)

Cable Size in sq.mm	UN ARMoured					ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY	2XaY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		186.00	261.00		339.00		236.00	306.00		389.00
6		263.00	373.00		488.00		318.00	422.00		543.00
10		416.00	597.00		784.00		481.00	657.00		847.00
16	298.00	596.00	883.00		1166.00	325.00	664.00	930.00		1221.00
25	459.00	934.00	1387.00	1674.00	1833.00	504.00	981.00	1438.00	1729.00	1893.00
35	634.00	1290.00	1919.00	2207.00	2541.00	684.00	1341.00	1980.00	2273.00	2611.00
50	870.00	1766.00	2632.00	3079.00	3488.00	923.00	1822.00	2697.00	3154.00	3574.00
70	1237.00	2510.00	3757.00	4381.00	4981.00	1298.00	2581.00	3830.00	4464.00	5070.00
95	1659.00	3495.00	5218.00	6095.00	6927.00	1729.00	3642.00	5509.00	6320.00	7173.00
120	2093.00	4397.00	6569.00	7822.00	8738.00	2175.00	4568.00	6797.00	8099.00	9028.00
150	2616.00	5487.00	8215.00	9471.00	10921.00	2707.00	5697.00	8484.00	9786.00	11267.00
185	3220.00	6764.00	10120.00	11837.00	13452.00	3329.00	7006.00	10442.00	12206.00	13856.00
240	4150.00	8723.00	13059.00	15226.00	17361.00	4277.00	9013.00	13452.00	15681.00	17860.00
300	5173.00	10881.00	16284.00	18994.00	21659.00	5332.00	11227.00	16746.00	19536.00	22554.00
400	6800.00	14282.00	21385.00	24743.00	28456.00	6986.00	17419.00	21978.00	25417.00	29203.00
500	8587.00					8816.00				
630	10816.00					11096.00				
800	13727.00					14061.00				
1000	17150.00					17553.00				

CONTROL CABLES (Rate in Rs. Per Metre)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		No. of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
2	90.00	129.00	134.00	175.00	14	455.00	715.00	532.00	774.00
3	118.00	171.00	165.00	225.00	16	516.00	819.00	569.00	871.00
4	148.00	220.00	199.00	280.00	19	607.00	965.00	659.00	1022.00
5	175.00	263.00	234.00	335.00	24	768.00	1213.00	825.00	1280.00
6	206.00	312.00	268.00	390.00	27	857.00	1357.00	920.00	1424.00
7	233.00	358.00	297.00	440.00	30	981.00	1555.00	1045.00	1629.00
8	268.00	405.00	322.00	465.00	37	1199.00	1906.00	1272.00	1985.00
9	300.00	452.00	360.00	525.00	44	1421.00	2274.00	1505.00	2368.00
10	334.00	521.00	403.00	572.00	52	1668.00	2672.00	1760.00	2772.00
12	394.00	618.00	466.00	671.00	61	1960.00	3123.00	2054.00	3227.00

EXTRAS FOR SPECIAL CONSTRUCTION (CONTROL CABLES):

A) Tinning	3.00%	E) OXYGEN INDEX (FR)	2.50%
B) Stranding (Upto 6 SQ.MM)	6.00%	F) HR PVC INSU/I.SH/O/SH.	2.00% (Each)
C) Extruded Innersheath	2.50%	G) FRLS Loading-Power Cable	7.50%
D) Round Wire Armouring		H) PVC Cables	5%

1C x 95 sq. mm & above	7.50%
1.5 sq.mm - 16 core & above	15.00%
2.5 sq.mm - 10 core & above	15.00%
16 sq.mm - 4 core & above	15.00%
25 sq.mm - 2 core & above	15.00%
16 sq.mm - 3 core & above	15.00%

FRLS Loading Factor- Control Cable				LSZH	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armoured	Unarmd		
2 - 4	5.0%	7.5%	7.5%	15.0%	15.0%
5 - 10	5.0%	7.5%	7.5%	15.0%	15.0%
12 & Above	5.0%	7.5%	7.5%	12.5%	12.5%

The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra.
This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

PRICE LIST :JULY 2013

W.E.F : 23.07.2013

PVC INSULATED INDUSTRIAL CABLES (FLEXIBLE WIRES)

1100 Volts FLEXIBLE SINGLE & MULTICORE CABLES WITH ANNEALED BARE COPPER CONDUCTOR, PVC INSULATED AND/ OR PVC SHEATHED AS PER IS : 694 - 1990.

(Rate in Rs. Per 100 Mtrs)

SQ.MM	COND. CONST. (NO./DIA.MM)	CURRENT AMP.	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE
0.5	16/0.20	6	800	2250	3000	3830	4810	5795	6575
0.75	24/0.20	9	995	2955	3990	5125	6445	7765	8860
1.0	32/0.20	14	1295	3625	5005	6465	8150	9795	10970
1.5	30/0.25	18	1965	4820	6790	8830	11035	13150	15295
2.5	50/0.25	24	3160	7790	10920	14250	17530	20800	24290
4.0	56/0.3	32	4640	12500	17300	22650	28420	33910	

1100 Volts FLEXIBLE SINGLE & MULTICORE CABLES WITH ANNEALED BARE COPPER CONDUCTOR, PVC INSULATED AND/ OR PVC SHEATHED AS PER IS : 694 - 1990.

(Rate in Rs. Per 100 Mtrs)

SQ.MM	COND. CONST. (NO./DIA.MM)	CURRENT AMP.	10CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE
0.5	16/0.20	6	9455	11330	13170	14840	17340	21675
0.75	24/0.20	9	12760	15295	17740	20100	23570	29495
1.0	32/0.20	14	15745	18870	21935	24960	29215	36675
1.5	30/0.25	18	21935	26240	30445	34625	40415	50790
2.5	50/0.25	24	34790	41770	48605	55320	65305	82210

1100 Volts FLEXIBLE SINGLE CORE CABLES WITH ANNEALED BARE COPPER CONDUCTOR, PVC INSULATED UNSHEATHED AS PER IS : 694 - 1990.

(Rate in Rs. Per 100 Mtrs)

SQ.MM	COND. CONST. (NO./DIA.MM)	CURRENT AMP.	RATE	SQ.MM	COND. CONST. (NO./DIA.MM)	CURRENT AMP.	RATE
6	84/0.3	42	7695.00	150	750/0.5	352	184740
10	80/0.4	55	12900.00	185	925/0.5	400	228200
16	126/0.4	75	20180.00	240	1210/0.5	475	295580
25	196/0.4	100	31385.00	300	1527/0.5	500	373815
35	276/0.4	125	43850.00	400	2036/0.5		497685
50	396/0.4	165	62850.00				
70	354/0.5	240	88770.00				
95	484/0.5	300	115760.00				
120	608/0.5	325	148880.00				

The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra.

PRICE LIST :JULY 2013

W.E.F : 23.07.2013

PVC INSULATED INDUSTRIAL CABLES (FLEXIBLE WIRES)contd.

"KEI", 1100 Volts FLEXIBLE MULTICORE CABLES WITH ANNEALED BARE COPPER CONDUCTOR, PVC INSULATED AND PVC SHEATHED AS PER IS : 694 - 1990.

(Rate in Rs. Per 100 Mtrs)

SQ.MM	CONDUCTOR CONSTRUCTION	AMPS.	2 CORE	3 CORE	4 CORE
6.00	84/0.3	42	17800	24990	32860
10.00	80/0.4	55	29950	42590	55500
16.00	126/0.4	75	46300	65890	86480
25.00	196/0.4	100		106150	143680
35.00	276/0.4	125		148090	194860
50.00	396/0.4	165		209750	276640
70.00	354/0.5	240		293305	385510
95.00	484/0.5	300			
120.00	608/0.5	325			

"KEI", 3 CORE FLAT CABLES FOR SUBMERSIBLE PUMP MOTORS

(Rate in Rs. Per 100 Mtrs)

SQ.MM	CONDUCTOR CONSTRUCTION	RATE
1.5	30/.25	7090
2.5	50/.25	10900
4	56/0.3	16820
6	84/0.3	25000
8	112/0.3	33500
10	80/0.4	41500
16	126/.4	68000
25	196/.4	110050

TERMS & CONDITIONS :

1. As per the International Practice which is also adopted by BIS the size of the conductor decided by its d.c. resistance only. The construction of the conductor mentioned in the price list are only for guide lines and are as per market convention. It may vary within the prescribed limit of IS:8130-1984 with related classes and tables.

2. The above prices are exclusive of all duties & taxes.



KEI INDUSTRIES LIMITED

AUTHORISED DISTRIBUTER
ANKIT ELECTRICALS PVT LTD.

1809 FIRST FLOOR BHAGIRATH PLACE , 01123869752

Phone: +91 9222 666 999
Email: shop@shopelect.com
Website: www.shopelect.com

Under trademark license agreement with Shree Kailash AG, Switzerland to manufacture KEI cables up to 220kV

PRICE LIST :JULY 2013

W.E.F : 23.07.2013

HOUSE WIRES - MULTI STRAND RANGE

"KEI", Homecab - FR PVC INSULATED INDUSTRIAL CABLE (MULTISTRAND) WITH FIRE RESISTANT PROPERTIES CONFORMING TO IS : 694 , SINGLE CORE UNSHEATHED ELECTRICAL CABLES WITH FLEXIBLE BRIGHT ANNEALED MULTI STRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V.

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT AMPS	PACKING BOX-90	RATE PER 90 MTR COIL
0.75	24/0.20	9	20	915.00
1.00	32/0.20	14	20	1190.00
1.50	30/0.25	18	12	1795.00
2.50	50/0.25	24	12	2890.00
4.00	56/0.30	32	8	4270.00
6.00	84/0.30	42	4	6495.00

"KEI", Conflame - FRLS PVC INSULATED INDUSTRIAL CABLE (MULTISTRAND) WITH FLAME RETARDANT LOW SMOKE (FRLS) PROPERTIES , CONFORMING TO IS : 694 , SINGLE CORE UNSHEATHED ELECTRICAL CABLES WITH FLEXIBLE BRIGHT ANNEALED MULTI STRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V.

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT AMPS	PACKING BOX-90	RATE PER 90 MTR COIL
1.00	32/0.20	14	20	1270.00
1.50	30/0.25	18	12	1895.00
2.50	50/0.25	24	12	3010.00
4.00	56/0.30	32	8	4435.00
6.00	84/0.30	42	4	6725.00

"KEI", Banfire - ZHFR INSULATED INDUSTRIAL CABLE (MULTISTRAND) WITH ZERO HALOGEN FIRE RETARDANT (ZHFR) PROPERTIES , CONFORMING TO IS : 694 , SINGLE CORE UNSHEATHED ELECTRICAL CABLES WITH FLEXIBLE BRIGHT ANNEALED MULTI STRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100 V.

CONDUCTOR (AREA SQ.MM)	NO. & SIZE OF WIRE IN MM	CURRENT AMPS	PACKING BOX-90	RATE PER 90 MTR COIL
1.00	32/0.20	14	20	1380.00
1.50	30/0.25	18	12	2020.00
2.50	50/0.25	24	12	3215.00
4.00	56/0.30	32	8	4700.00
6.00	84/0.30	42	4	7065.00

The above rates are exclusive of Excise duty, Sales Tax, Octroi & any other taxes which shall be charged extra.
This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

Page 07 of 07

KEI WIRES & CABLES